

PCB 025

MCPCB. 96-48 8-4 24

025. 020

25

PCB 025

10

Material	FR-4	Thickness	0.1-5mm
Surface Finish	HASL	Plating	0.2mm
Drill Tolerance	ISO9001	Plating	0.2mm
Quality	UL	Plating	0.2mm
Price		Plating	\$ 0.1- \$ 10
Quantity	pcba	Plating	0.01m3-10m3
Design		Q /	10PCS-100PCS
Lead Time	0.01	Plating	0.1-5mm
Weight		Plating	0.5OZ-5OZ

Lead Time	16
Lead Time	7-12days

000000 000

16 000000 0000 00000000 00000000 00000000 000000 000000

000	2014		2015 ~ 2016		2017 ~ 2018	
	000000	0000	000000	0000	000000	0000
00000000 000	32	42	38	44	42	48
0000000) 0000000 / 00000 0000000)	50/50	40/45	40/45	40/40	35/40	35/35
000000 000000 000 (00) 000000)	0.15	0.10	0.15	0.10	0.15	0.10
000000 000000 00 PTH	14: 1	16: 1	16: 1	18: 1	18: 1	20: 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
000000 00000 00	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
000 0000000 000	00000 000	-	00000 000	-	00000 000	-
000000000) 0000000000 0000 .0000000 00000000) (00000000)	50	40	40	30	40	30
0000000) 00000000 0000 0000 .0000000)	75	65	65	50	50	40
0000 00000 00 0000 000000 / 0000	00000 000	-	00000 000	-	00000 000	-
00000	FR4 □ Megtron □ Nelco □ Rogers □ 0000 □ 00000000 00000000.					
000000000 0000000 00 0000000 00 000000 00000000 0000000	00000 000	-	00000 000	-	00000 000	-
0000000 0000000	00000000 00 00000000 hasl □ enig □ osp □ 0 0000000 000000000 □ 00000000 0000000 □ 0000000000 000000 0000 000000 0 000000 000000 000000 0 0000 000000 000000 000000 Peelable □ 0000000000 0000					



www.o-leading.com









QUALITY MANAGEMENT SYSTEM CERTIFICATE
 Certificate No: 16118Q10347R05

We hereby certify that
O-LEADING SUPPLY CHAIN(HK) CO.,LIMITED
 Credit No: 61691591-000-07-17-2
 Registration Add: ROOM 603D 6/F HANG PONT COMMERCIAL BUILDING,31 TONKIN ST,CHEUNG SHA WAN,KL, HK
 Business Add: 1313 Floor 13 Fortune Building, Danstui Town Huiyang District, Huizhou, Guangdong, China

Has implemented and maintains a **Quality Management System**
 Which fulfills the requirements of the following standards
 GB/T19001-2016 idt ISO9001:2015

Scope of certification
 Sales of printed circuit boards

Initial Issuance period: February 27, 2018
 This certificate is valid during: February 27, 2018 -- February 26, 2021
 This certificate is invalid without CICC qualified label in the following period

First supervision and audit	Qualified mark	Second supervision and audit	Qualified mark
-----------------------------	----------------	------------------------------	----------------

The certification registration scope does't include those products/services scopes which fail to be covered by the relevant effective administrative permission and qualification permission required by the state. The effectiveness of this certificate shall be evaluated by annual surveillance audit of CICC. The certificate shall be valid when used together with the surveillance audit conclusion. The related information of this certification can be searched at the public website of company www.cicc.com.cn.

201726 201VZL430354 - Wiring, Printed - Component

UL ONLINE CERTIFICATIONS DIRECTORY

ZPMV2.E490354
Wiring, Printed - Component

For enhanced search functionality, please visit UL's [UL Product Databases](#).
 Click on a product designation for complete information.
[Page Bottom](#)

Wiring, Printed - Component

See General Information for Wiring, Printed - Components

O-LEADING SUPPLY CHAIN CO LIMITED 4190354
 Fortune Building, Nanheng West Road
 Room 1313
 Huizhou, Guangdong 516211, CHINA

Type	Cond Width			SS/ DS/ Diam	Area	Solder		Diper		Flame	RoHS	C
	Min	Max	Min			Max	Min	Max				
Hub/Bayer (mass laminate) printed wiring boards.												
O-LEADING-401	0.2 (0.004)	0.3 (0.012)	34 (1.34)	D6	12.7 (0.5)	260	10	130	V-0	-	-	-
O-LEADING-407	0.08 (0.003)	0.2 (0.008)	17 (0.67)	D5	9.2 (0.4)	260	10	130	V-0	NI	-	-
Hub/Bayer printed wiring boards.												
O-LEADING-408	0.125 (0.005)	0.125 (0.005)	12 (0.47) 31(1.25)	D6	50.8 (2.0)	260	20	130	V-0	NI	-	-
Single layer printed wiring boards.												
O-LEADING-002	0.76 (0.015)	1.14 (0.045)	34 (1.34)	S5	19.1 (0.8)	260	10	105	V-0	NI	-	-
O-LEADING-003	0.38 (0.015)	1.14 (0.045)	34 (1.34)	S5	19.1 (0.8)	260	10	130	V-0	▲	-	-
O-LEADING-033	0.15 (0.006)	0.3 (0.012)	34 (1.34)	S5	25.4 (1.0)	260	10	120	V-0	NI	-	-
O-LEADING-205	0.1 (0.004)	0.3 (0.012)	34 (1.34)	D6	69.6 (2.7)	260	10	130	V-0	NI	-	-
O-LEADING-206	0.15 (0.006)	0.33 (0.013)	17 (0.67)	D5	69.6 (2.7)	260	10	130	V-0	NI	-	-

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.
 Last updated on 2017-01-27

Questions? [Print this page](#) [Terms of Use](#) [Page Top](#)

http://www.ul.com/ulProductDatabase/PrintPage.aspx?ZPMV2.E490354&category=Wiring,Printed-Component&id=10



Test Report No. CANEC1805164701 Date: 03 Apr 2018 Page 2 of 8

Test Results:

Test Part Description:

Specimen No. **SGS Sample ID** **Description**
 SN1 CAN18-051647.001 Green "PCB"

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2014+A1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit	MDL	Det
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	9
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND



SGS is pleased to announce the launch of its new RoHS testing services. The new services are designed to help our clients meet the requirements of the RoHS Directive. The new services are available in the following countries: China, India, Korea, Mexico, Singapore, Taiwan, Thailand, Vietnam, and the USA. For more information, please contact your local SGS office or visit our website at www.sgs.com. The new services are available from 1st January 2018. The new services are available for a limited period only. The new services are available for a limited period only. The new services are available for a limited period only.

Member of the SGS Group (SGS SA)

3. what 材料 種類 種類 o- 種類 種類

FR4 種類 種類 TG 種類 種類 種類 種類 種類 種類 Arlon 種類 Telfon 種類 種類 種類 種類 / 種類 種類 種類 PI 種類 種類.

4. 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類

種類 種類 種類 種類 種類 Gerber 274-X. 種類 種類 種類 種類 種類 種類 種類 Cam350 種類 CAD 種類 Protel 99se 種類 PADS 種類 DXP 種類 Eagle.

5. 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類 種類

種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← AOI 種類 種類 種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← 種類 種類 ← 種類 種類 ← PTH ← ← 種類 種類 ← 種類 種類 ← 種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← 種類 種類 種類 ← E / T ← 種類 種類 種類.