

PCB

PCB Specifications

Material	FR-4, Epoxy	Thickness	0.5oz ~ 5oz
Min. Thickness	0.2mm	Min. Drill	0.2mm
Surface Finish	OSP, HASL	Plating	0.1-5mm
LED, SMD, BGA, etc		PCB Type	Single / Double PCB
Standards	ISO9001, UL, RoHS, SGS	Q / CTN	10PCS-100PCS
Weight	0.01kg ~ 5kg	MOQ	10pcs
PCB / PCB Assembly		Min. Thickness	0.2mm
Color	Yellow	Price	\$ 0.1- \$ 10
Quantity		Volume	0.01m3-10m3


PCB & Assembly


PCB Quantity	16 pieces OEM pcb
Lead Time	7-12 days

PCB

16 pieces OEM pcb

	2014		2015 ~ 2016		2017 ~ 2018	
	mm	mm	mm	mm	mm	mm
Min. Thickness (mm)	0.15	0.10	0.15	0.10	0.15	0.10
PTH	14 : 1	16 : 1	16 : 1	18 : 1	18 : 1	20 : 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
Min. Drill (mm)	50	40	40	30	40	30
Min. Drill (mm)	75	65	65	50	50	40
Material	FR4, Megtron, Nelco, Rogers, Heavy Copper					
PCB Type						
Surface Finish	HASL, ENIG, OSP, etc					





[PCB for GPS tracker 00 00 00. 00 pcb 00 00](#)