


COPPER PLATE HOLES MINIMUM .025 AVG, .020 MIN.. HOLES MAY NOT BE PLUGGED


This PN required 10% impedance, 8mil laser drill, POFV, stacked via, laser blind via drill thru 6mil dielectric and plug and plating flat via

Pack with colorless transparent bubble film ,25 PCS/ bag, put desiccant in flank, put humidity indicator card on top side

Layer structure

| Custom Info Lyr | Image | Foil            | Name                                      |
|-----------------|-------|-----------------|---|
| COMP            |       | 0.5oz           | Foil 1/2oz(RTF)                           |
| 6+/-0.9mil      |       |                 | R-5670K 1080 RC64%                        |
|                 |       |                 | R-5670K 1080 RC64%                        |
| L2              |       | 0.5oz           | Foil 1/2oz(RTF)                           |
| 3.9+/-0.7mil    |       |                 | R-5670K 3313 RC54%                        |
| L3              |       | 0.5oz           |   |
| L4              |       | 0.5oz           | R-5775K 0.200mm H/H 42.5"49"(3313*2)(RTF) |
|                 |       |                 | R-5670K 1080 RC64%                        |
| 6.9+/-1.5mil    |       |                 | R-5670K 3313 RC54%                        |
| L5              |       | 0.5oz           | R-5775K 0.100mm H/H 42.5"49"(3313*1)(RTF) |
| L6              |       | 0.5oz           |   |
|                 |       |                 | R-5670K 3313 RC54%                        |
| 6.9+/-1.5mil    |       |                 | R-5670K 1080 RC64%                        |
| L7              |       | 0.5oz           | R-5775K 0.200mm H/H 42.5"49"(3313*2)(RTF) |
| L8              |       | 0.5oz           |   |
| 3.9+/-0.7mil    |       |                 | R-5670K 3313 RC54%                        |
| L9              |       | 0.5oz           | Foil 1/2oz(RTF)                           |
|                 |       |                 | R-5670K 1080 RC64%                        |
| 6+/-0.9mil      |       |                 | R-5670K 1080 RC64%                        |
| SOLD            | 0.5oz | Foil 1/2oz(RTF) |   |





[www.o-leading.com](http://www.o-leading.com)

[Printed Circuit Board PCB Manufacturing Company, Pcb prototype manufacturer china](http://www.o-leading.com)