

2.1100

.3

() .4

.5

.6

intelligent induction hand washing machine

HAND SANITIZER

Automatic soap dispenser



0.25s
Swift Water



Automatic induction



Vibration reduction



Smooth discharge



USB charging

Against daily bacteria

CONTACT-FREE

99.9%

High resistance rate



Take care of you family effectively and rest assured



Automatic liquid induction

No need to press

Sensing distance 5cm, rapid liquid discharge in 0.25 seconds



Automatic liquid sensing, position sensing




Four grooves can be hung on the wall

Suitable for various washing liquids

SIMPLE REPLACEMENT

Quik and esay fluid change, suitable for different liquids



Smart spray



Smart out of bubble



Smart hand sanitizer

Full body waterproof design, easy to clean

Waterproof design is easy to clean, try to use in bathroom kitchen



Automatically sense water

INFRARED SENSOR

1100ML HIGH CAPACITY

Large capacity use time is long,
suitable for more than 3 people

- Small size,
no installation
- Splash proof
- Environmental
protection material



Product parameters



Remarks: the size about 1cm for manual measurement error, please forgive me!

Name Automatic soap dispenser

Material ABS+PC

Model NO.8818

Size See below

Charging type USB charge

Capacity 1100ml

Temperature 3°C ~ 40°C

Sensing distance ~ 5cm

Instructions



Press the top button, open the cell phone



Open the cover in the direction of the Arrow. The cover may be turned nearly 180 for easy removal of the water bottle



Remove the CAP, the water bottle can be filled with 1100 ml liquid;



Put your hand under the washing machine and feel the liquid. The distance is 8cm



Move the switch to no to start washing the phone



With USB charging cable, built-in 4.5V

□□□□□ □□□□ □□□□ □□□□

□□□□□□□□ □□□□□□□□ □□□□□□□□

□□□□□□□□□□□□:

20 □□□□□ / □□□□□

□□ 58 * 23 * 65 :□□□□□□□□

□□□□□□W: 10.5 □□□□□ / □□□□□

8509809000 :□□□□□□ □□□□□□ □□□□

□□□□□□□ □□□	□□□□□ □□□□□
□□□□□□□ □□□□□□ □□□	13 × 11 × 28 □□
□□□□□□□ □□□□□□□□ □□□□□□	1.000 □□□
□□□□□□□ □□□	20 □□□□□□□ □□ □□□□□ □ □□ 27 * 10.5 * 12.5 :□□□□□□□ □□□□ □□□ 0.5 □ □□ 28.4 * 10.8 * 12.7 :□□□□□□□□ □□□□□□ □□□□ □□ 58 * 23 * 65 :□□□□□□□□ □□□□□□ □□□ □ GW 10.5 □□□

□□□□□□:

□□□□□) □□□□□□□)	1 - 50	51 - 5000	101 - 1000	> 1000
Est. □□□□□) □□□□□□□)	5	7	10	□□□□□□□ □□□

□□□□□□□□□

000000 000 000000 000000 0000 :0

0 00000 000 000000 000000 000000 000 000 .00000000 000 0000 00 000 0000 24 0000 00 0000 000000 :0
.0000000 000000000 000000 000 000000000000 000000 00 00000000 000000

000000000 00000000 000 00 00 :0

0000000 00000 00000 0000 :0 EXW 0 FOB Shenzhen 00 CIF. 0000 00 0000000 00 0000000 0000000 0000000 0000000
.00 000000000 000000000

0000000 00000000 00000 00 00000 :0

0000000 .00000 2 00000 00 00000 0000000 .000000 0000 0000 00000000 0000000 00000 0000 000000 0000 0 0000000 :0
0000 OEM / OEM 0000000 0000 0000.