

000000 0000:
 000000 00000000

000000 0000	000000 0 0000 000000 00000000 0000))	00000000 000 0000000000	O-0000000000
00000000 0000000000	FR-4 0 00000000000000	00000000 0000	0.5OZ-5OZ
0000 .000000 00000000	0.2mm 0	0000 .000000 000000	0.2mm 0
0000000000 00000000	000000 000000 0 OSP 0 000000 HASL 000000	000000 000000	0.1-5mm
0000 000000	0 00000000 00000000 0 0000 0 00000000 00000000 0000000000	0000	00000000 00000000 pcb
00000000	ISO9001 0 UL 0 0000000000 SGS	Q / 00000000 0000000000 0000000000	10PCS-100PCS
0000	0.01kg -5kg	0000	10 0000
00000000 0000	00000000 000000 0000 00000000 00000000 PCBA	00000000 .000000 00000000	0.2mm 0
00000000	0 00000 0 00000 0 00000 00000	00000000	\$ 0.1- \$ 10
0000 design	00000000 0000000000	000000	0.01m3-10m3

000000 0 000000 & 0000000000

00000000 0000000000	16 00000000 0000000000 000000 oem 00000000 000000
00000000 0000000000	7-12days

00000000


[00000000-000000 00000000-000000 0000000000 000000 00000000 000000 00000000 00 00000000 000000 00000000 000000-000000](#)

00000000 0000


16 00000000 0000 00000000 0000000000 000000 0000000000 000000

0000	2014		2015 ~ 2016		2017 ~ 2018	
	000000	0000	000000	0000	000000	0000
0000000000 0000	32	42	38	44	42	48
00000000 / 000000 00000000 0000 (µm)	50/50	40/45	40/45	40/40	35/40	35/35
000000 0000 0000 (00) 00000000)	0.15	0.10	0.15	0.10	0.15	0.10
000000 000000 00 PTH	14: 1	16: 1	16: 1	18: 1	18: 1	20: 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
0000000000 0000 00	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
0000 00 00000000 0000	0000 0000	-	0000 0000	-	0000 0000	-

銅厚 (µm)	50	40	40	30	40	30
銅厚 (µm)	75	65	65	50	50	40
銅厚 / 銅厚	銅厚 / 銅厚	-	銅厚 / 銅厚	-	銅厚 / 銅厚	-
銅厚	FR4, Megtron, Nelco, Rogers, Heavy Copper, etc.					
銅厚 / 銅厚	銅厚 / 銅厚	-	銅厚 / 銅厚	-	銅厚 / 銅厚	-
銅厚	HASL, ENIG, OSP, ...					




www.o-leading.com



www.o-leading.com

O-LEADING
To Be *Reliable*, To Be *Valuable*



www.o-leading.com