

PCB MANUFACTURING

PCB MANUFACTURING

PCB BOARD TYPE	FR-4 (Standard))	Material	0.5OZ-5OZ
Thickness	0.2mm	Thickness	0.2mm
Surface Treatment	OSP / HASL	Surface Treatment	0.1-5mm
Minimum Order	10000 pcs	Minimum Order	10PCS-100PCS
Weight	0.01kg -5kg	Weight	10
Lead Time	7-12days	Lead Time	\$ 0.1- \$ 10
Design	0.01m3-10m3	Design	

PCB MANUFACTURING & ASSEMBLY

PCB BOARD TYPE	16 Standard PCB types oem PCB types
Lead Time	7-12days

PCB MANUFACTURING

16 Standard PCB types oem PCB types

Item	2014		2015 ~ 2016		2017 ~ 2018	
	Value	Value	Value	Value	Value	Value
PCB Thickness	32	42	38	44	42	48
PCB Thickness / Thickness (µm)	50/50	40/45	40/45	40/40	35/40	35/35
PCB Thickness (µm)	0.15	0.10	0.15	0.10	0.15	0.10
PTH	14: 1	16: 1	16: 1	18: 1	18: 1	20: 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
PCB Thickness	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
PCB Thickness	50	40	40	30	40	30
PCB Thickness (µm)	75	65	65	50	50	40
PCB Thickness	FR4	Megtron	Nelco	Rogers	Heavy Copper	etc.

0000000 00000000 00000	0000 000 -	0000 000 -	0000 000 -
00000 00000	HASL 000000 00 000000 0 ENIG 0 OSP 0 0 00000 0000000 0 00000 00000 0 00000 00000 00 0000000 0000 0 00000 0000 0 0000 00000 00000 000 0 00000 0000 0000 0000		
(Green bar)			



