

Sterilization is more effective

K9 Automatic Temperature Measurement & Disinfection Machine

Safer without contact



Large-capacity



Automatic dispensing



Temperature measurement



Alarm Function



High precision



°C/°F




Automatic temperature measurement and disinfection

Effectively avoid cross infection

Align the temperature measuring probe and the liquid outlet
with the palm of your hand to detect the temperature and
automatically sterilize the liquid



Extremely fast temperature
measurement



Infrared sensor

Automatic alarm function

When the measured body temperature exceeds the preset alarm temperature, the device will issue an alarm to remind the surrounding people



High temperature
alarm



Accurate measurement

accurate measurement, fast and efficient, stronger
environmental adaptability



Large-capacity disinfectant used longer

1000ML large amount of disinfectant solution, effectively inhibit bacteria, the inhibition rate is as high as 99.9%.
Effectively take care of you and your family's health



°C/°F temperature unit can
be selected

Switch easily




Self-developed core motherboard chip

High-performance, low-power self-developed motherboard
greatly improves product stability and operating capability

The inner core is more powerful

K9



Smart power saving & auto wake up

K9 has intelligent power saving and automatic wake-up function, which can save more resources

Low energy consumption, more economical



Visualization design of disinfectant

The side adopts a transparent design to visualize the use of disinfectant, and add liquid at any time according to the use



Exploded view

Concise appearance design



(□□ □□□ □□□□□□□□□□ □□□□□ □□□□ □□□□)

[illegible]

Technical Data



Accuracy	+/-0.2°C (34~45°C, put it in the operating environment for 30 minutes before use)		
Alarm type	Flashing+ bleeping “DIDIDI”	Input	DC 5V 1A
Measuring distance	5cm~10cm	Product power	3W
LED display	Number	Liquid type	Hand sanitizer
Interface	USB Type-C Port	Advantages • Automatic induction no-clean disinfection soap dispenser, more convenient to use • Large digital display, high-definition display • High-precision sensor, stable and reliable performance • With intelligent point saving and automatic wake-up function • Strong adaptability to environment temperature • Large-capacity soap liquid, longer life cycle	
Bottle Capacity	1000mL		
Mounting Type	Wall-hanging, Tripod-fixed		
Working Temperature	8.10°C~40°C (15°C~35°C Recommended)		
Measuring range	0~50°C		
Standby time	5s for non-working, dynamic loop with white dot		
Dimension	119x133x280mm		
Net weight	702g		

Box Contents



K9



User Guide



USB cable&charger*1



Screw&rubber plug*2

Appearance



Strong environmental adaptability



Hospital



School



Community



Factory



Supermarket



Station



Hotel



Exhibition



Market

Physical effect Mix and match

○ ● ○



Hotel reception



Company office



Dinner out

□□□□□□□□ □□□□□□□□ □□□□□□□□

□□□□□□□□ □□□	□□□□ □□□□
□□□□□□□□ □□□□□□ □□□	11.9 × 13.32 × 28 □□
□□□□□□□□ □□□□□□□□ □□□□□	0.800 □□□□
□□□□□□□□ □□□	□□□□□□□□□ □□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□.

□□□□□□□□:

□□□□□) □□□□□□)	1 - 100	101 - 5000	5001 - 10000	> 10000
Est. □□□□□) □□□□□□)	5	7	10	□□□□□□□□ □□□

□□□□□□□□



በሰጠው የሰነድ ቅጽ ላይ ፡

በሰጠው የሰነድ ቅጽ ላይ ፡ EXW ለ FOB Shenzhen ለ CIF. በሰጠው የሰነድ ቅጽ ላይ በሰጠው የሰነድ ቅጽ ላይ ፡
.በሰጠው የሰነድ ቅጽ ላይ

በሰጠው የሰነድ ቅጽ ላይ ፡

በሰጠው የሰነድ ቅጽ ላይ ፡ 2 ዓመት የሰነድ ቅጽ ላይ ፡.በሰጠው የሰነድ ቅጽ ላይ በሰጠው የሰነድ ቅጽ ላይ ፡
በሰጠው የሰነድ ቅጽ ላይ ፡ OEM / OEM በሰጠው የሰነድ ቅጽ ላይ ፡.