



□□□□ □□□□□□□□ □□□□ □□□□ □□□□ □□□□ □ □□□□□□□ □□□□ □□□ □□□□ □□□□□□□□ □□□ □□□□□□ □□□□□□ □□□□ □□□□  
□□□□ □□□□□

# 11.5CM proximity sensing

Near-infrared application technology with wavelength as the main sensing distance With sensitive receiving and sending photosensitive material, reach out to start, close away





Intelligent sensor sprayer

# Alcohol spray Sterilized clean hands



Delicate  
spray



Alcohol  
cleansing



# Visible core advantages

My advantage/my charm is only to  
serve you better



exquisite  
spray



Infrared  
sensory switch



Caring for  
family health



Mute  
No noise



Small  
Portable



Charge/plug  
Dual-use



Caring for family  
health



alcohol  
Clean hands

# Small and portable Mobile disinfection station

No need for wall mounting, compact and easy to carry  
Move location at any time, suitable for all kinds of places



# Press and hold for 3 seconds to turn on

Easy to open, long press 3 seconds to  
open the key to open  
Spray sterilization mode



# Alcohol spray sterilization


Protect the health of the whole family,  
sterilize with alcohol spray for 20 seconds





# Alcohol sprayer

Not all sprayers can use medical alcohol  
Intelligent induction, zero contact, avoid cross infection



✓ E.COLI

✓ Candida albicans

✓ Staphylococcus aureus

# Large capacity battery

1200mAh battery capacity, safe and stable  
lithium battery Long battery life, low  
power consumption, dual-use



# 100ml large capacity water tank

100ML large capacity water tank  
Large spray volume, up to 40-60ML per hour



# Environmental protection ABS material

The shell uses ABS raw materials, has good high rigidity, Features such as corrosion resistance. Has good electrical insulation Heat-resistant, non-deformable, hard to scratch



.....  
.....

:.....

..... **.1**

..... .1 PI .

..... .2 PI

..... .3

..... .4

..... **.2**

..... .1

..... .2

..... .3

..... **.3**

..... / .....

.....: TNT / FedEx / DHL / UPS / EMS

..... 3-1

..... 7-5

..... 10-7 OEM

..... **.4**

..... 12

..... .2

.....

..... .3.

.....

# Product information



Manual measurement, for reference only,  
please prevail in kind!

## DETAILED INFORMATION

Product name: Intelligent Induc  
tion Sprayer

Charging time: 1-1.2 hours

Battery type: lithium battery

Product material: ABS+PC+silicone

Interface type: Micro

Battery capacity: 1200 mAh

Product model: XY-68

Input voltage: DC5V/1.0a

Product power: 1.5W

Spray volume: 40-60ml/h

Water tank capacity: 100ml

Product size: 78\*78\*110mm

# product detail presentation

Intimate product design, product details determine success or failure

## MICRO charging system

Use Android charging cable for charging, with charging display function, charging red light  
Off means the charge is full




## Keying button

Press and hold for 3 seconds to start the normal operation of the infrared sensor intelligent spray and turn on the spray sterilization mode



## Alcohol spray/ sterilization

Protect the health of the whole family, alcohol spray can easily sterilize in 30 seconds, I am your mobile sterilizer



## Automatic induction /contactless

Infrared application technology with wavelength as the main sensing distance, with sensitive receiving

## Removable water tank design

The 100ml detachable water tank design is safer and hygienic to use, without worrying about the breeding of bacteria, and is more convenient to clean. A bottle of sterilized



# Physical effect Mix and match



□□□□□□□□ □□□□□□□□ □□□□□□□□

□□□□□□ □□□	□□□□ □□□□
□□□□□□□ □□□□□□ □□□	15x15X9 □□
□□□□□□□ □□□□□□□□ □□□□□□	0.250 □□□□
□□□□□□ □□□	□□□□□□□□ □□□□□ □□□□□□ □□□□□ □□□□□ □□□□□.

□□□□□□:

□□□□□) □□□□□□)	1 - 100	101 - 5000	5001 - 10000	> 10000
Est. □□□□□) □□□□□□)	5	7	10	□□□□□□□ □□□

□□□□□□□□



□□□□□□ □□□ □□□□□□ □□□□□□ □□□□□□ :□

□ □□□□□ □□□ □□□□□□ □□□□□□ □□□ □□□ .□□□□□□□□ □□□ □□□ □□ □□□ □□□□ □□□□ □□□□ □□□□ :□  
.□□□□□□ □□□□□□□□ □□□□□ □□□ □□□□□□□□□□ □□□□□ □□ □□□□□□□ □□□□□□

□□□□□□□□ □□□□□□□ □□□ □□ □□ :□

□□□□□□ □□□□ □□□□ □□□□ :□ EXW □ FOB Shenzhen □□ CIF. □□□ □□ □□□□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□□□  
.□□ □□□□□□□□ □□□□□□□□

□□□□□□ □□□□□□□ □□□□ □□ □□□□ :□

□□□□□□ .□□□□□ □□□□ □□ □□□□ □□□□□□ .□□□□□□ □□□ □□□ □□□□ □□□□□□ □□□□□ □□□□ □□□ □□□ □□□□□□ □ □□□□□□□ :□  
□□□□ OEM / OEM □□□□□□ □□□□ □□□□.

