

PCB Specifications

General Information

Material	FR-4 (Standard)	Thickness	0.50Z-5.0Z
Panel Size	0.2mm	Panel Thickness	0.2mm
Surface Treatment	OSP or HASL	Panel Thickness	0.1-5mm
Material	ISO9001 UL	Material	SGS
Material	0.01kg -5kg	Material	10 PCS
Material	PCBA	Material	0.2mm
Material		Material	\$ 0.1 - \$ 10
Material design		Material	0.01m3-10m3


Material & Specifications

Material	16 Standard Specifications OEM Specifications
Material	7-12days


Material

16 Standard Specifications Specifications Specifications Specifications Specifications


Material	2014		2015 ~ 2016		2017 ~ 2018	
	Material	Material	Material	Material	Material	Material
Material	32	42	38	44	42	48
Material / Material (µm)	50/50	40/45	40/45	40/40	35/40	35/35
Material (µm)	0.15	0.10	0.15	0.10	0.15	0.10
PTH	14: 1	16: 1	16: 1	18: 1	18: 1	20: 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
Material	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
Material (µm)	50	40	40	30	40	30
Material (µm)	75	65	65	50	50	40
Material						
Material	FR4 Megtron Nelco Rogers Heavy Copper etc.					
Material						
Material	HASL ENIG OSP or other surface treatments					



www.o-leading.com



www.o-leading.com



www.o-leading.com

□□□

:□□□□□