

Zásobovací schopnost

100000 Kusů / Kusy za měsíc Vysoce kvalitní [výrobce bezkontaktního infračerveného teploměru Chian](#)

Balení a dodání

Prodej jednotek	Jedna položka
Velikost jednoho balení	14 x 14 x 4 cm
Jedna hrubá hmotnost	0,400 kg

Popis výrobku



LCD digitální infračervený teploměr tělesné teploty pro děti Čelo Bezdotykový tělesný teploměr čela s podsvícením ([Chian Bezkontaktní LCD displej Lidská horečka Teploměr Teploměr Gun Velkoobchod](#))

Základní úvod:

Bezdotykový infračervený teploměr těla je speciálně navržen pro testování tělesné teploty člověka. V závislosti na různých typech a tloušťce pokožky může dojít k teplotním rozdílům. Pokud je vnitřní teplota výrazný rozdíl, měl by být infračervený teploměr těla umístěn do této místnosti na 15 až 20 minut před použitím.

Funkce:

100% zbrusu nový, vysoce kvalitní
Přesná bezkontaktní měření
Vestavěný laserový ukazovátko
Uživatelsky nastavitelný ° C nebo ° F
Rozsah automatického výběru a rozlišení displeje 0,1 ° C (0,1 ° F)
Automatické pozastavení dat a automatické vypnutí

Specifikace:

Teplotní rozsah:	32,0 ° C - 43,0 ° C (90 ° F - 109,4 ° F)
Přesnost:	± 0,2 ° C
Měřicí vzdálenost:	5 cm (2 palce)
Automatické zastavení:	7 s
Doba odezvy:	0,5 s
Opakovatelnost:	± 1% nebo ± 1 ° C
Rozlišení displeje :	0,1 ° C nebo 0,1 ° F
Provozní teplota:	10 ° C - 40 ° C (50 ° F - 104 ° F)
Oblíbený :	Nejlepší prodejce
Jednotka:	VÝBĚR ° C / F
Funkce:	Funkce uchovávání dat
Napájení:	9V (NEDA 1604A nebo IEC 6LR61)
Indikace:	Indikace slabé baterie
Zobrazit:	LCD displej

Podrobnosti Obrázky



Intended measurement site	Forehead
Measurement range	32°C~42.9°C 89.6°F~109.2°F
Laboratory measurement precision	±0.2°C (35.0°C~42.0°C) ±0.3°C (others)
Display Precision	0.1°C/°F
Measurement units	°C/°F
Operation condition	10°C~40°C, RH≤93% (non-condense), 70kPa ~106kPa
Storage and transport condition	-20°C~55°C, RH≤93% (non-condense), 50kPa ~106kPa
Dimensions	140x40x40(mm)
Weight	About 95g (include battery)
Expected service life	6 years





Infrared Thermometer

Infrared dual mode forehead thermometer



Forehead
Temperature



Fast
Measurement



Object
Temperature



Memory for 32
groups of data



Auto Shut-off
Function



Fever Alarm
Function



°C/°F Unit
Conversion

Fever Alarm Function

- When body temperature range from 37.5°C~38.4°C, the thermometer will emit a Orange backlight and 3 short beep to remind you
- When body temperature range from 38.5°C~42.9°C, the thermometer will emit a Red backlight and 5 short beep to remind you.



😊 32-37.5°C



😊 37.6-38°C



😡 38-42.9°C



32 SET OF DATA STORAGE

Store up to 32 sets of readings are recorded for better tracking the changes of body temperature, support clinical febrile diagnosis.







Certifikace

Certifikát CE pro infračervený teploměr



Attestation of Conformity

No. ICR Polska/M3600006



Name and address of Registered Manufacturer: Jiangxi Dayou Medical Technology Co., Ltd.
Stanard Plants Building B7, Yangguang Road, Wanzai Industrial Zone, Wanzai County, Yichun city, Jiangxi Province, China

Product name: Infrared Thermometer

Product type/model: DY-A200, DY-A201, DY-A202, DY-A203, DY-A600, DY-A601, DY-A602, NX-2000

Trade mark: n/a

This Attestation confirms that the product meets the requirements of the following normative documents and within limits of its documents gives presumption of conformity with essential requirements of Directive 93/42/EEC.

Relevant EC Directive: Medical Device Directive 93/42/EEC

Conformity assessment procedure: EC Declaration of Conformity (Annex VII of Directive 93/42/EEC)

Classification: Class I according Rule 1 of Annex IX of Directive 93/42/EEC

Applied normative documents: EN 60601-1:2006+A1:2013, EN 60601-1-2:2015

Applied Quality Management System n/a

This AoC will remain valid only if Quality Management System Certificate remains valid.
The assessment process has been carried out in accordance with the program PC-P-07-07.
Evaluation has been carried out in accordance with test report made by:

- Shanghai GOM Testing & Technical Co., Ltd.

No. of test report: GOM200320282T

Issue date: 19.03.2020

Expiration date: 18.03.2025

The mutual obligations and rights of the certification are regulated by the contract No. ICR Polska/2020-3125.

This Attestation applies to products having the same attributes (parameters), intended use, that have been evaluated and meet the requirements of the aforementioned standard.



Director: Rafał Kalinowski

Warsaw, 19. 03. 2020.

ICR Polska Co. Ltd.

ul. Plac Przymierza 6, 03-944 Warszawa
www.icrpolska.com, e-mail: icrpolska@icrq.com



Certifikát FDA pro infračervený teploměr



Fiscal Year 2020

CERTIFICATE OF FDA REGISTRATION

This certifies that:
Jiangxi Dayou Medical Technology Co., Ltd.
Stanard Plants Building B7, Yangguang Road, Wanzai Industrial Zone, Wanzai County, Yichun
city, Jiangxi Province, China

has completed the FDA Establishment Registration and Device Listing with the US Food &
Drug Administration, through Shenzhen Lintek certification Group Co.,Ltd.

Owner/Operator Number:: 10067829

Listing No.	Proprietary Name:	Device Class:	Device Name:
D387012	Infrared Thermometer DY-A200, DY-A201, DY- A202, DY-A203, DY-A600, DY-A601, DY-A602, NX-2000	1	Thermometer,clinical color change

Remark:

Assumes no liability to any person or entity in connection with the foregoing. Pursuant to 21 CFR 807.39, "Registration of a device establishment or assignment of a registration number does not in any way denote approval of the establishment or its products. Any representation that creates an impression of official approval because of registration or possession of a registration number is misleading and constitutes misbranding."



Kelvin Zhang

Issued Date: 08 Apr 2020

Expiration Date: 31 December 2020

Certifikát RoHS pro infračervený teploměr

Certificate Of Conformity

BORY

No.: BGAC20049104R

Applicant.....: Jiangxi Dayou Medical Technology Co., Ltd.
Address.....: Stanard Plants Building B7, Yangguang Road, Wanzai Industrial Zone, Wanzai County, Yichun city, Jiangxi Province, China
Manufacturer.....: Jiangxi Dayou Medical Technology Co., Ltd.
Address.....: Stanard Plants Building B7, Yangguang Road, Wanzai Industrial Zone, Wanzai County, Yichun city, Jiangxi Province, China
Trademark.....: N/A
Product.....: Infrared thermometer
Model(s): DY-A200, DY-A201, DY-A202, DY-A203, DY-A600, DY-A601, DY-A602, NX-2000
Directives.....: Directive 2011/65/EU and Amendment Directive (EU) 2015/863
Standards.....: IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2017, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-6:2015, EN 14372:2004
Report No.: BG2004TR9104R

Remark:

The certificate of conformity is based on an evaluation of sample if the above mentioned Product. The EUT described above has been examined by us with the listed standards and found in compliance with the Directive 2011/65/EU and Amendment Directive (EU) 2015/863. It is possible to use RoHS marking to demonstrate the compliance with this RoHS Directive.

RoHS

Approved by/Date:

Apr.06, 2020

Shenzhen Bory Technology Service Co., Ltd.

Tel: +86 755 2328 6925
Fax: +86 755 2328 6935
Email: Service@bory.biz
http: www.bory.biz


501, Building 10, Xinlitang Building, Gangbei Industrial Park, Huanglian Community, Hangcheng Street, Baoan District, Shenzhen, Guangdong, China

Balení a doprava

50 jednotek na karton, velikost kartonu je 58 * 40 * 36 cm, 20 kg



Dayoumed



DY-A200
INFRARED THERMOMETER

Dayou



DY-A200
INFRARED THERMOMETER

Vítejte v O-leaderu

Jak se Coronavirus šířil po celém světě, zejména v období leden až únor v Číně jsme byli proti COVID-19 dokonce v masovém nedostatku masek a druhů zboží! Nyní se Čína zlepšuje a je na O-vedoucí odpovědnosti, aby pomohla světovým přátelům s tímto zbožím, podívejte se prosím více na náš web [Anti Virus](#)

