□□□□

visine®

Canadian visitor technology license

Strong Sterilization Spray

Fog spray is effective all day

visine Widely used in sterilization and antibacterial

Negative ion slow-release sterilization technology

24 hours to maintain negative ion "curtain wall"

When flowing air or body droplets After falling to the "curtain wall" by negative ions Actively capture and decompose into harmless points to avoid cross-infection of bacteria.

visine

Negative ion slow-release black technology

Antibacterial rate test report



中国认可 国际互认 检测 TESTING CNAS L0823

201719001121

检测编号：WJ20180524(R)
Test No.

广州工业微生物检测中心
GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY
检 测 报 告
TEST REPORT

收样日期：2018 年 3 月 6 日
Date Received

检测日期：2018 年 3 月 13 日
Date Analyzed

样品名称 Name of Sample	森离子喷剂	样品来源 Source of Sample	送样
	市慷健堂生物科技有限公司	委托人 Client	
	生物科技有限公司	样品等级 Sample	
		商标 Bran	
	828	样品 Qu	
		样品 Pack	

抗菌涂料

大肠杆菌 AS 1.90、金黄色葡萄球菌 AS

Remarks: 备注说明：此款产品还有 HSI200/WSI300 装与此是同一产
本报告替代 2018 年 4 月 10 日签发的 WJ20180524 报告，原报告

检测结果：
Test Result

样品编号	作用时间	试验菌种	阴性对照样菌落数(cfu/片)	空白样菌落数(cfu/片)	试验样菌落数(cfu/片)	抗菌率(%)
WJ20180524（R）-1	24h	大肠杆菌	6.78×10^7	9.52×10^7	<1000	>99.9
		金黄色葡萄球菌	7.32×10^7	1.04×10^8	<1000	>99.9

报告结束/End of report

编制：梁翠芳 Editor　审核：郑苗 Checker　签发：Issuer　签发日期（公章）：2018.4.12 Date Reported

第 1 页，共 1 页

广州工业微生物检测中心 检验检测专用章

无色无味森离子

24 hours testing time

Antibacterial 99.9%

Computer's screen & keyboard,
Clothes, Shoes & Hats etc.
24h
for up to 24 hours.
SGS
CNAS
MA
visine
Strength Anti-microbial Spray

visine International certification authority testing

PK traditional sterilization products

- **Continuous sterilization and antibacterial**
  One mist spray is effective for 24 hours
- **Pure water formula does not hurt your hands**
  Ethanol-free, odorless and non-irritating
- **99.9% bactericidal and antibacterial**
  Broad-spectrum sterilization / antibacterial / odor removal / mildew resistance
- **Easy to carry and use**
  Non-flammable and explosive / safe and reliable

visine®

Black technology PK traditional products

visine®

Canada visitine technology authorization

Certificate No. 2019 - 182

visine Development Canada

Certificate of Recognition

visine Development Canada recognizes that the

Zhongshan Jinkaiwo Namometre-Tech Co., Ltd.

As an Official Representative to develop business network in China

Certificate valid until:

December 2023

CERTIFIED

Signed:

Michael Barua, Executive Director

24h Effective

visine®

SGS CNAS MA

No alcohol

Keeps killing 99.999% of germs

Strength Anti-microbial Spray

□□

□□□	□□□□□□□□□□□□□/**10ML**□□□□□□□□□□□□□□□□□□□□
□□□□	VSI 100 10ml
□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□	□□□□□□□□□□□□□□□□□□□□

55mm
160mm
90mm

24h Effective
visine
Strength Anti-microbial Spray
6 973152 220012

□□□

Q-LEADING
To Be Reliable, To Be Valuable
WELCOME
SPECIALTIES
CERTIFICATIONS
CONTACT
White Rebirth
FIGHTING COME ON

□□□□□□

Q□□□□□