[illegible]

[illegible]

[illegible]1000 ml[illegible]LCD[illegible]

[illegible]**1000ml**[illegible]

Sterilization is more effective

K9 Automatic Temperature Measurement & Disinfection Machine

Safer without contact

Large-capacity

Automatic dispensing

Temperature measurement

Alarm Function

±0.2

High precision

°C/°F

°C/°F

[illegible]

[illegible]1000 ml[illegible]
[illegible]
[illegible]
[illegible]1000 ml[illegible]

[illegible]	[illegible]
[illegible]	OL-K9-1
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	ABS + HDPE
[illegible]	3W
[illegible]	119 * 133 * 280mm
[illegible]	1000ml
[illegible]	3-10cm

Automatic temperature measurement and disinfection

Effectively avoid cross infection

Align the temperature measuring probe and the liquid outlet with the palm of your hand to detect the temperature and automatically sterilize the liquid

Extremely fast temperature measurement

Infrared sensor

Automatic alarm function

When the measured body temperature exceeds the preset alarm temperature, the device will issue an alarm to remind the surrounding people

Accurate measurement

accurate measurement, fast and efficient, stronger environmental adaptability

Large-capacity disinfectant used longer

1000ML large amount of disinfectant solution, effectively inhibit bacteria, the inhibition rate is as high as 99.9%. Effectively take care of you and your family's health

°C/°F temperature unit can be selected

Switch easily

Self-developed core motherboard chip

High-performance, low-power self-developed motherboard greatly improves product stability and operating capability

The inner core is more powerful



Smart power saving & auto wake up

K9 has intelligent power saving and automatic wake-up function, which can save more resources

Low energy consumption, more economical

Visualization design of disinfectant

The side adopts a transparent design to visualize the use of disinfectant, and add liquid at any time according to the use

Exploded view
Concise appearance design
1000mL
750mL
500mL
250mL

1.[illegible]

1.[illegible]PI[illegible]

2. PI[illegible]

3.[illegible]

4.[illegible]

2.[illegible]

1.Western[illegible]T / T[illegible]PayPal[illegible]

2. 30[illegible]70[illegible]

3.[illegible]

3.[illegible]

[illegible]/[illegible]/[illegible]/[illegible]

[illegible]TNT / FedEx / DHL / UPS / EMS[illegible]

[illegible]1-3[illegible]

[illegible]5-7[illegible]

[illegible]OEM[illegible]7-10[illegible]

4.[illegible]

1.Warranty[illegible]12[illegible]

2.[illegible]

3.[illegible]

[illegible]

Technical Data

Accuracy	+/-0.2°C (34~45°C, put it in the operating environment for 30 minutes before use)		
Alarm type	Flashing + bleeping "DIDIDI "	Input	DC 5V 1A
Measuring distance	5cm~10cm	Product power	3W
LED display	Number	Liquid type	Hand sanitizer
Interface	USB Type-C Port	Advantages	
Bottle Capacity	1000mL		
Mounting Type	Wall-hanging, Tripod-fixed	• Automatic induction no-clean disinfection soap dispenser, more convenient to use	
Working Temperature	8.10°C~40°C (15°C~35°C Recommended)	• Large digital display, high-definition display	
Measuring range	0~50°C	• High-precision sensor, stable and reliable performance	
Standby time	5s for non-working, dynamic loop with white dot	• With intelligent point saving and automatic wake-up function	
Dimension	119x133x280mm	• Strong adaptability to environment temperature	
Net weight	702g	• Large-capacity soap liquid, longer life cycle	

Box Contents

K9

User Guide

USB cable&charger*1

Screw&rubber plug*2

Appearance

Strong environmental adaptability

Hospital

School

Community

Factory

Supermarket

Station

Hotel

Exhibition

Market



□□□□□

□□□□	□□
□□□□□□□□□□□□	11.9X13.32X28 cm
□□□□□□	0.800□□
□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□

□□□□□	1□100	101□5000	5001□10000	> 10000
EST□□□□□□□□□□□□□	5	7	10	□□□□□

□□□


K9
Intelligent Sensor Soap Dispenser
Humanized design
Portable installation
Large-capacity
Automatic induction
Advantages
Automatic induction no-clean disinfection soap dispenser, more convenient to use
Large digital display, high-definition display
High-precision sensor, stable and reliable performance
With intelligent point saving and automatic wake-up function
Strong adaptability to environment temperature
Large-capacity soap liquid, longer life cycle
Quality Assurance 100%
CE FC RoHS
Made in China

□□□□□□

Q□□
A□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□3□7□□□□□□□□

Q□□□□□□□□□□□□□□
A□□□□□□□□□□□□□□□□□□□□□24□□□

Q□□□□□□□□□□□□□□□

A□□□□EXW□FOB□□□□□□□CIF□□□

Q□□□□□□□□□□□□□□□□□□□

A□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□2□□□□□□ OEM / OEM□□□□□□□□□□□□□□□