



UV 18pcs LED

UV	UV	18 LED
ABS		
7W		
20.7 * 4.5 * 2.8cm		
LED UV 99.9% <b>99.9% LED UV</b>		

□□□□□

□□□□	□□
□□□□□□□□□□□□	20X5X3 cm
□□□□□□	0.002 kg



18pcs of Importing **LED** beads

99.9% sterilization rate for  
home & travelling disinfection



## Gravity sensor setting

Automatically turns off UV light

When separating the upper part

99.9%

**LED UV disinfection**

**Destroyed over 99.9% of germs**

Ultraviolet disinfection technology is commonly used in hospitals, bacteriological research, military and aerospace fields.

It uses a purely physical sterilization method and irradiates with a wavelength of 260-280nm.

Can instantly destroy DNA and RNA of microorganisms such as bacteria.

Make it lose its ability to reproduce and survive.



Light in weight, 200g

1s disassembly and assembly, portable

Chargeable battery, USB charging

Full charging for using 60mins

3000mAh lithium battery



# Adjustable UV sanitizing wand


Long & Short size for using different place

Updated from tradition UV sterilizer,

let it more suitable and useful to lives

Short sterilizer is used to :  
mask, cellphone, cup, corners,  
all-around, more energy-saving.

Combined long sterilizer is used to:  
car, bedroom, etc..big space,  
experience the small size bringing  
you a safety and health living



## Fight Against Bacteria

Respiratory  
disease

Bacteria  
Breeding  
ground

Bacteria  
Often allergic

Sneezing

99.9% sterilization rate for  
home & travelling disinfection



The image shows two rows of base ten blocks. The top row contains 12 vertical rectangles, each representing a ten. The bottom row contains 10 vertical rectangles, each representing a one.

Slightly sweep 5 times, quick disinfection

Reuse to save resources



**99.9%**  
sterilization  
rate

II  
II





Short sterilizer is used to disinfect small stuff

Safe and save energy



IV  
□□□□□□□□  
□□□□□□□□



V000000000  
000000000



VI  
00000000  
000000



□□□□□□□□□□



**18** PCS UV lamp beads for  
10 years life

99.9%

**Strong sterilization**  
**Best effectivity**  
**Most safety**





广微测  
Gmicro Testing



201819C00883



中国认可  
国际互认  
检测  
TESTING  
CNAS L1747

## 广东省微生物分析检测中心

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

### 分析检测结果

ANALYSIS AND TEST RESULT

报告编号 (Report No.): 2020FM06103R01D

1.样品前处理:以玻璃为载体,作用距离3cm,照射时间为5分钟。

Sample pretreatment: Took the glass as the carrier, and the action distance was 3cm, Irradiation and the action time was 5 minutes.

2.试验结果 Test Result:

试验菌株 Test germ	试验 组别 Test group	对照组平均菌落数 Average cfu of positive controls (cfu/片)	试验组平均菌落数 Average cfu of testing groups (cfu/片)	杀灭率 Killing rate (%)	杀灭对数值 Sterilization logarithm
大肠杆菌 ( <i>Escherichia coli</i> ) 8099	1	$5.0 \times 10^6$	$1.8 \times 10^3$	99.96	3.44
	2	$4.7 \times 10^6$	$1.8 \times 10^3$	99.96	3.41
	3	$4.8 \times 10^6$	$1.9 \times 10^3$	99.96	3.40
金黄色葡萄球菌 ( <i>Staphylococcus aureus</i> ) ATCC 6538	1	$1.6 \times 10^6$	$7.0 \times 10^2$	99.96	3.35
	2	$1.4 \times 10^6$	$7.7 \times 10^2$	99.95	3.26
	3	$1.3 \times 10^6$	$7.5 \times 10^2$	99.94	3.23

(以下空白 Blank below)



## O-leading

1. 2. COVID-19  
O-



