

○

10PCB - PCBMCPCB
 - 24S / S48-964-8

.025 AVG.020..

25/

PCB


PCB

			O
	FR-4		0.55
	0.2mm		0.2mm
	OSP		0.15mm
	LED		PCB
	ISO9001ULRoHSS	Q / CTN	10PCS-100PCS
	0.01kg5kg	MOQ	10
			0.2mm
	PCBPCB		\$ 0.1\$ 10
			0.01m 310m 3

	16OEM PCB
	7-12

	2014		20152016		20172018	
	32	42	38	44	42	48
μm	50/50	40/45	40/45	40/40	35/40	35/35
mm	0.15	0.10	0.15	0.10	0.15	0.10
PTH	141	161	161	181	181	201
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6

銅厚	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
銅厚公差	±0.005	-	±0.005	-	±0.005	-
銅厚公差(μm)	50	40	40	30	40	30
銅厚公差(μm)	75	65	65	50	50	40
銅厚公差 μ/0.005	±0.005	-	±0.005	-	±0.005	-
銅厚	FR4、Megtron、Nelco、Rogers、Heavy Copper					
銅厚公差	±0.005	-	±0.005	-	±0.005	-
銅厚公差	銅厚公差HASL、ENIG、OSP、銅厚公差					
	銅厚公差銅厚公差銅厚公差銅厚公差銅厚公差銅厚公差					
	銅厚公差銅厚公差銅厚公差銅厚公差					



www.o-leading.com

00000000







1. O-Leading
- 1.The ISO 9001 2008
- 2.
- 4.Dedicated
- 5.
2. O-Leading
- 10 2 3 4 31
- O-Leading
3. O-Leading
- FR4 TG Rogers Arlon Telfon / PI

