



visine®

Canadian visitor technology license

Strong Sterilization Spray



Fog spray is effective all day



visine

Widely used in sterilization
and antibacterial

Negative ion slow-release sterilization technology





24 hours to maintain negative ion "curtain wall"


When flowing air or body droplets
After falling to the "curtain wall" by
negative ions Actively capture and
decompose into harmless points to
avoid cross-infection of bacteria.

visine Negative ion slow-release black technology

Antibacterial rate test report

中国认可
国际互认
检测
TESTING
CNAS L0823



201719001121

检测编号: WJ20180524(R)
Test No.

广州工业微生物检测中心
GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY
检测报告
TEST REPORT

收样日期: 2018年3月6日 检测日期: 2018年3月13日
Date Received Date Analyzed

样品名称 Name of Sample	森离子喷剂	样品来源 Source of Sample	送样
委托人 Client	广州市健堂生物科技有限公司	委托人 Client	
样品等级 Sample	广州市健堂生物科技有限公司	样品等级 Sample	
商标 Brand		商标 Brand	
样品数量 Quantity	828	样品数量 Quantity	
样品包装 Packaging		样品包装 Packaging	
样品用途 Usage	抗菌涂料	样品用途 Usage	

24 hours
testing time

Antibacterial
99.9%

Remarks: 申明: 此款产品还有 HSI200/WSI300 装与此是同一产品。本报告替代 2018 年 4 月 10 日签发的 WJ20180524 报告, 原报告作废。

检测结果:
Test Result

样品编号	作用时间	试验菌种	阴性对照样菌落数(cfu/片)	空白样菌落数 (cfu/片)	试验样菌落数 (cfu/片)	抗菌率 (%)
WJ20180524 (R)-1	24h	大肠杆菌	6.78×10 ⁷	9.52×10 ⁷	<1000	>99.9
		金黄色葡萄球菌	7.32×10 ⁷	1.04×10 ⁸	<1000	>99.9


报告结束/End of report

编制: 梁翠芬
Editor: 梁翠芬

审核: 郑苗
Checker: 郑苗

签发: [Signature]
Issuer

签发日期 (公章)
Date Reported



无色无味森离子



visine

International certification
authority testing

PK traditional sterilization products



- **Continuous sterilization and antibacterial**
One mist spray is effective for 24 hours
- **Pure water formula does not hurt your hands**
Ethanol-free, odorless and non-irritating
- **99.9% bactericidal and antibacterial**
Broad-spectrum sterilization / antibacterial / odor removal / mildew resistance
- **Easy to carry and use**
Non-flammable and explosive / safe and reliable

visine[®] Black technology PK
traditional products



Canada visine technology authorization





visine®

SGS



CNAS



No alcohol
Keeps killing 99.999% of germs



Strength Anti-microbial Spray

Work Placesse



Staying in Hotel



Using Public Toilet



Take the subway



Using Mask



Shopping



□□

□□□	□□□□ □□ □□□ □□ □□□ / 10ML □□□□ □□□□ □□□□□□□□
□□ □□	VSI 100 10ml
□□ □□	□□□□, □□□□ □□ □□ □□ □□, □□ □□□□ □□ □□□□
□□ □□	□□ □□□□ □□□□□□ □□□□□□ □□ □□□□ □□ □□ □□□□ □□□□ □□ □□ □□ □□, □□ □□ □□ □□□□ □□□□ □□□□ □□□□



□□ □□ □□

□□ □□	□□ □□			
□□ □□□□ □□	15X2X2cm			
□□ □□□□	0.050kg			
□□ □□	14 * 1.5 * 1.5cm / □□			
	12 □ / □□			
	16 * 5.5 * 9cm / □□			
	288 □ / ct			
	24 □□ □□ / ct			
36 * 33 * 16 / ct				
□□ □□				
□□ (□)	1-100	101-500	501-1000	> 1000
□□ □□□□. □□ (□)	□	5	7	□□ □



〇〇〇〇 〇〇 〇 〇〇〇〇 〇〇 〇〇〇〇〇 〇〇 〇〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇.

〇〇〇〇〇

〇〇〇 〇〇〇〇〇 〇 〇〇〇〇〇 〇〇〇〇 〇〇, 〇〇 〇〇〇 1 ~ 2 〇〇〇 〇〇〇 〇〇 〇〇〇〇 〇〇〇 〇〇〇 〇〇 〇〇〇〇〇〇〇! 〇〇 〇〇〇 〇〇 〇〇〇〇〇 〇〇〇 〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇〇 (〇〇〇〇.〇〇〇〇〇〇〇〇〇.〇〇〇〇〇〇〇), 〇〇 〇 〇〇〇〇 〇〇 〇 〇〇 〇〇 〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇



Q : 如何 可以 知道 是否 可以 生产 ?

: 可以 生产 , 但 需要 3-7 天 .

Q : 如何 知道 是否 可以 生产 ?

A : 可以 生产 24 小时 生产 . 我们 可以 提供 各种 规格 的 产品 .

Q : 如何 知道 是否 可以 生产 ?

: 我们 EXW, FOB 和 CIF 都可以 . 我们 可以 提供 各种 规格 的 产品 .

Q : 如何 知道 是否 可以 生产 ?

A : 可以 生产 各种 规格 的 产品 . 我们 2 天 生产 . OEM / ODM 都可以 .