

2020 0000 0000 00 00 0000 0 00 Bp 0000 00 00 0000 (00 00 00 0000 00 00 0000 00 00)

00:

- 00 6 000000 00, 0000 0000 00, 00 00 OLED 000000, 00 0 00 00.
- 00000 00, 00 00 : 0.2 %
- 0000 00000 00 0000 0000000.
- 00 0000 00 0000, 0000 00 0 00000 0000 00, 00 AAA 1.5V 000000 0000 2 0, CE IPX4 0 00 00.
- 00 000020 00 00 00, 00 00 000000.

000:

SpO2	
00 00:	35 ~ 100 %
00:	1%
00 000 :	2 % (70-100 %),00000 00 (≤70 %)
00 00 :	50 % -100 %
0000	
00 000 :	2 BPM
00 00	30 ~ 250BPM
0000	CE FDA





□□ □□ □□

□□ (L × W × H)	70mm × 37mm × 38mm
□□□	55g
□□ □□ □□ (L × W × H)	87mm × 69mm × 40mm
□□ □□ □□ (L × W × H)	490mm × 370mm × 240mm
□□□ (100pcs)	7.5Kg (□□□ □□)
□□	□□

□ □□□□:□□ □□ □□□□ □□ □□ □□□□ □□ □□

Shipping service



□□ : □□□ □□ □□ TT□ □□□ 30 % , □□□ □□ TT□ □□□ 70 % □□
□□ : 30 % □□□□□ □□ 20days □□. OEM
□□ □□□□ 60 □□□□.