

O-leading □ □ □ □ □ □

O-Leading PCB 제조, PCB 제조 및 PCB 조립 (PCBA)은 EMS 업체가 고객에게 제공하는 서비스입니다. HDI PCB, Rigid-Flexible PCB 등 다양한 PCB 제품을 생산합니다. . 또한 고객 요구에 맞는 PCB 설계도 제공합니다.

[illegible]

O-leading 0000 00 00 00 0000 0000 0000 PCB 0 PCBA 0 00 0000 0000 0000 00 0000 0000 0000 0 0 0 000 00 0 0000.

□□□ □□□ □□□ □□□ □□□□□□ : □□ □□ □□□ **PCB** □□ **O-** □□



Keep **LEARNING**

There's a phrase in Buddhism, 'Beginner's mind.'


It's wonderful to have a beginner's mind

WE HAVE A **DREAM**

Keep **RUNNING**

I would like to live to study, and not study to live.

---Bacon




□ □ □ □

2020 11月11日 40Z 11月11日 PCB 11月11日 TG170 11月11日 [TG PCB](#) 11月11日

TOP QUALITY PCB

O-LEADING
To Be Reliable, To Be Valuable



2L PCB WITH 4/4OZ AND HIGH TG170 RAW MATERIAL
MAKE YOUR IDEA COME TRUE

TOP QUALITY PCB

O-LEADING
To Be Reliable, To Be Valuable




2L PCB WITH 4/4OZ AND HIGH TG170 RAW MATERIAL
MAKE YOUR IDEA COME TRUE

TOP QUALITY PCB

O-LEADING


To Be Reliable, To Be Valuable



2L PCB WITH 4/40Z AND HIGH TG170 RAW MATERIAL
MAKE YOUR IDEA COME TRUE

TOP QUALITY PCB

O-LEADING
To Be Reliable, To Be Valuable



2L PCB WITH 4/40Z AND HIGH TG170 RAW MATERIAL
MAKE YOUR IDEA COME TRUE

TOP QUALITY PCB

O-LEADING
To Be Reliable, To Be Valuable



2L PCB WITH 4/4OZ AND HIGH TG170 RAW MATERIAL
MAKE YOUR IDEA COME TRUE

TOP QUALITY PCB

O-LEADING

To Be Reliable, To Be Valuable




2L PCB WITH 4/40Z AND HIGH TG170 RAW MATERIAL

MAKE YOUR IDEA COME TRUE



TOP QUALITY PCB
O-LEADING
To Be Reliable, To Be Valuable



2L PCB WITH 4/40Z AND HIGH TG170 RAW MATERIAL
MAKE YOUR IDEA COME TRUE



Market Share

CONSUMER ELECTRONICS

AUTOMOTIVE ELECTRONICS

INDUSTRIAL CONTROL

INTELLECTUALIZED HOUSEHOLD CONTROL

OTHER



30%
CONSUMER ELECTRONICS



18%
INTELLECTUALIZED HOUSEHOLD CONTROL

20%
AUTOMOTIVE ELECTRONICS




12%
OTHER



20%
INDUSTRIAL CONTROL




Product types



■ FR-4 PCB ■ MC PCB ■ rigid-flexible PCB

Product layers

■ 1L ■ 2L ■ 4L ■ 6L ■ >8L



Production Process

18 years experience in one-stop PCB and PCBA, we can make your idea come true,





Factory PCB



Automatic vacuum press machine



Drilling Machine



Pattern Plating Machine



Scrubbing Machine



Developing Machine



Routing Machine



High-speed flying probe machine



E-test Machine

Factory SMT




To be *RELIABLE*

Quality first ,
Customer supreme ,
Scientifically management ,
Striving for famous brand



THE CUSTOMER IS KING



To be *VALUABLE*

Science and technology keeps head ,
Put people first ,
Be precise and practical ,
Contribute sincerely

Skyworth 创维

HAT 和而泰
HAT INTELLIGENT CONTROL

dongweikeji
东威科技

美的 Midea

STAR-NET
星网锐捷

FORYOU
ADAYO 华阳集团

EDIFIER®

Cultraview 金锐显

3nod 三诺

T&W

TCL

AcBel 康舒科技
ACBEL POLYTECH INC.

Honeywell

Schneider
Electric

ZTE 中兴

EMERSON

BYD

PHILIPS

TE
connectivity

VIDEOTON

O-LEADING CUSTOMER REVIEW

CUSTOMER VOICE IS **EXTREMELY IMPORTANT** TO US

订单编号: 49335463501024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



High quality usb power pcb ,pcba manufacturer

★★★★★

Fancy has done an excellent job, whenever we write, she answered us within 1 second, O-leading is very perfect with fast delivery, fast logistics, the most important thing is good quality, good packaging, thank you!

[回复该评论](#)



oem customized rohs pcb drawing schematic s...

★★★★★

We received the boards, the quality is very good, the price is very reasonable, Fancy is very nice & smart & experienced, the logistics is super fast, I will come to see more in the future.

[回复该评论](#)

订单编号: 49024962001024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



High TG180 FR-4 Circuit HDI PCB 94V0 Board ...

★★★★★

perfect product, perfect PCB supplier!

[回复该评论](#)



oem customized rohs pcb drawing schematic s...

★★★★★

Very good and professional PCB product as usual!

[回复该评论](#)



Strip LED Aluminum FR-4 lighting PCB board 9...

★★★★★

High quality, fast delivery, good service, competitive price, lucky and happy to purchase from O-leading!

[回复该评论](#)

订单编号: 40938623501024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



High TG180 FR-4 Circuit HDI PCB 94V0 Board ...

★★★★★

This is a very difficult PCB design, but we are lucky to find O-leading to support the PCB for us very good to a PCB supplier.



universal FR4 Multilayer PCB washing machine...

★★★★★

Fancy gives us very excellent service, very professional and experienced, O-leading is the best one of our suppliers, very happy to work with them.

订单编号: 40938623501024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



High quality Keyboard pcb & pcba Factory SMT...

★★★★★

Top quality, it's the right choice to choose O-leading to make the PCB & PCBA

[回复该评论](#)

订单编号: 44068794501024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



High TG180 FR-4 Circuit HDI PCB 94V0 Board ...

★★★★★

We bought two batches, one by DHL, the other one by air, good quality and fast delivery!

LISTEN TO CUSTOMER VOICE

订单编号: 4090347501024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



Strip LED Aluminum FR-4 lighting PCB board 9...

★★★★★

Very fast delivery! Fantastic, good job!!



Professional Printed Circuit Board Manufactur...

★★★★★

Very happy to great support from O-leading, they are not only professional on the PCB, but also provide good PCB products, very good supplier!

订单编号: 36919647001024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



AML-S802 Quad-core Android embedded board...

★★★★★

Good products



Fast delivery low cost pcb fabrication O-leadin...

★★★★★

Good supplier

订单编号: 37378603001024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



hot sale rigid-flexible PCB with 0.2mm BGA an...

★★★★★

very professional supplier



High Quality custom FPCB/Flex PCB/FPC/Flexi...

★★★★★

Good product



OEM ODM PCBA Bluetooth Wireless Marking G...

★★★★★

high soldering quality



Electronic parts haptic pcba Circuit Board asse...

★★★★★

Very Good product

订单编号: 37378603001024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



Raspberry pi 0 Zero Raspberry Pi Zero Pi W ver...

★★★★★

Fantastic products!!



double layer pcb with red S/M and LF-HASL su...

★★★★★

Good!

订单编号: 37378603001024670

供应商服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)



half hole pcb, half hole pcb module, half hole m...

★★★★★

Top half hole pcb supplier, very perfect goods



High Quality custom FPCB/Flex PCB/FPC/Flexi...

★★★★★

this rigid-flexible pcb quality is perfect!



Electronic parts haptic pcba Circuit Board asse...

★★★★★

Very satisfied with O-leading products and quality, especially their on-time delivery, fantastic!

Be **kind** to your client,
because he has many choices,
but he chooses you instead.





No. SZXEC1900530401

Date: 30 Mar 2019

Page 1 of 6

O-LEADING SUPPLY CHAIN (HK) CO., LIMITED

1313, FLOOR 13, FORTUNE BUILDING, DANSHUI TOWN, HUIYANG DISTRICT, HUIZHOU, GUANGDONG,
CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : OSP

SGS Job No. : RP19-005089 - SZ

Date of Sample Received : 22 Mar 2019

Testing Period : 22 Mar 2019 - 30 Mar 2019

Test Requested : Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Tina Fan
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed and available on request or available at <http://www.burton.com> and the Company also agrees to its electronic form of documents subject to Terms and Conditions for Electronic Documents available at <http://www.burton.com> and the Company's Conditions Documents also available at <http://www.burton.com>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have read, understood and agreed to the terms and conditions of the document and the Company's Conditions Documents and the Client's instructions. Any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized reproduction, forgery or alteration of this document or the appearance of this document may be prosecuted to the fullest extent of the law. Unless otherwise stated, the content of this document and the results shown in this text report refer only to the samples tested.

*SOS Ship No.4, Jiaxing Industrial Park, No.42, Jiaxing Road, Jiangsu District, Shanghai, China 518129 | (86-755) 26328888 | (86-755) 83106190 | www.sgschina.com on
 in english: CN.Dongsheng@sas.com | (86-755) 26328888 | (86-755) 83106190 | www.sgschina.com
 in chinese: 中国深圳龙岗区平湖街道42号江兴工业园4号SOS士德 电话: 4181290 | (86-755) 26328888 | (86-755) 83106190 | www.sgschina.com

Member of the SGS Group (SGS SA)



No. SZXEC1900530401

Date: 30 Mar 2019

Page 2 of 6

Test Results :

Test Part Description:

Specimen No.	SGS Sample ID	Description
SN1	SZX19-005304.001	Green™PCB

Remarks :

(1) $1 \text{ mg/kg} = 1 \text{ ppm} = 0.0001\%$

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method : With reference to IEC 62321-4:2013+A1:2017, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit	MDL	Q27
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	8
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tri bromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tri bromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed and available on request or accessible at <http://www.kiss.com/termsandconditions> and/or its specific Terms and Conditions for Electronic Documents at <http://www.kiss.com/termsandconditions>. For electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the document and the Company's General Conditions of Service and the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced without the prior written consent of the Company. Any unauthorized reproduction, alteration, forgery or misuse of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the samples tested.

or email: CN.Docs@techdata.com
SGS Bldg. No. 1, Jiefang Road, Phase 3, Hua-Ping District, Longgang District, Shenzhen, China 518129 t (86-755) 25328866 f (86-755) 83106190 www.sgsgroup.com.cn
中国·深圳·龙岗区华平路第三阶段解放路1号SGS大厦 邮编: 518129 t (86-755) 25328866 f (86-755) 83106190
e: sgs.china@sgs.com

Member of the SGS Group (SGS SA)



ZPMV2.E490354 - WIRING, PRINTED - COMPONENT

Wiring, Printed - Component

See General Information for Wiring, Printed - Component

O-LEADING SUPPLY CHAIN (HK) CO LTD

E490354

ROOM 1205, 12/F
TAI SANG BANK BLDG
130-132 DES VOEUS ROAD
CENTRAL, HONG KONG

Type	Cond Width		Cond Thk mic(mil)	SS/ DS/ DSO	Max		Max		Meets UL796 Class	C T DSR	I
	Min	Min			Area	Solder	Oper	Flame			
	mm(in)	mm(in)			Diam	Limits	Temp	Class			
Multilayer (mass laminate) printed wiring boards.											
O-LEADING-401	0.1 (0.004)	0.3 (0.012)	34 (1.34)	DS	12.7 (0.5)	260	10	130	V-0	-	-
O-LEADING-407	0.08 (0.003)	0.2 (0.008)	17 (0.67)	DS	9.7 (0.4)	260	10	130	V-0	All	-
Multilayer printed wiring boards.											
O-LEADING-408	0.125 (0.005)	0.125 (0.005)	12 (0.47) Int:136	DS	50.8 (2.0)	280	20	130	V-0	All	*
Single layer printed wiring boards.											
O-LEADING-002	0.38 (0.015)	1.14 (0.045)	34 (1.34)	SS	19.1 (0.8)	260	10	105	V-0	All	-
O-LEADING-003	0.38 (0.015)	1.14 (0.045)	34 (1.34)	SS	19.1 (0.8)	260	10	130	V-0	▲	-
O-LEADING-033	0.15 (0.006)	0.3 (0.012)	34 (1.34)	SS	25.4 (1.0)	260	10	120	V-0	All	-
O-LEADING-205	0.1 (0.004)	0.3 (0.012)	34 (1.34)	DS	69.6 (2.7)	260	10	130	V-0	All	-
O-LEADING-206	0.15 (0.006)	0.33 (0.013)	17 (0.67)	DS	69.6 (2.7)	260	10	130	V-0	All	-
O-LEADING-D01	0.14 (0.006)	0.15 (0.006)	33 (1.30)	DS	25.4 (1.0)	260	10	130	V-0	All	*
O-LEADING-S01	0.25 (0.010)	0.25 (0.010)	17 (0.67)	SS	25.4 (1.0)	260	4	130	V-0	All	*

WIRING, PRINTED - COMPONENT | UL Product iQ

O-LEADING-S02	0.2 (0.008)	0.2 (0.008)	17 (0.67)	SS	25.4 (1.0)	260	4	130	HB	▲
O-LEADING-S03	0.25 (0.010)	0.25 (0.010)	34 (1.34)	SS	25.4 (1.0)	260	4	130	V-0	All

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

并不是所有出现在本数据库中的公司名称和产品都满足了UL 跟踪检验服务的要求。只有带有 UL 标志的产品，才应该被视为经过UL认证，并满足UL 跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经 UL 允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明：“© 2019 UL LLC”

PCB 規格

PCB 材料	
銅厚	1 ㎛ -32 ㎛
銅箔重量	1 / 3oz-12oz
銅箔厚度 / 銅厚	3.0mil / 3.0mil
銅箔厚度 / 銅厚	4.0mil / 4.0mil
Max Aspect Ratio	10 : 1
銅厚	0.2mm ~ 5.0mm
銅箔厚度 (mm)	635 * 1500mm
銅箔厚度 (mm)	400 ㎛
Plated 銅厚	+/- 3mil
Blind / Buried Via (All 銅)	0
Via Fill (銅箔, 銅厚)	0
銅厚	FR-4, FR-4high Tg, 銅箔厚度, 銅厚, Polyimide, 銅厚
銅厚	HASL, OSP, ENIG, HAL-LF, Immersion silver,Immersion 銅, 銅厚, 銅厚

SMT 規格

PCB 材料	FR-4, CEM-1, CEM-3, 銅箔厚度 銅厚
銅 PCB 厚度	510x1500mm
銅 PCB 厚度	50x50mm
PCB 厚度	0.5mm-4.5mm
銅厚	0.5-4mm
銅厚 銅厚 銅厚	0201
銅厚 銅厚 銅厚	0603 銅厚
銅厚 銅厚 銅厚	15mm
銅厚 銅厚	0.3mm
銅 BGA 銅厚	0.4mm
銅厚	+/- 0.03mm

PCB 規格

Shipping service



Quick Turn Lead Time		
Layer Count:	Lead Tim	Special Requirement
1L/2L	2-3days	24 Hours,48 Hours
4L	3-4days	48 Hours
6L	4-5days	72 Hours
8L	5-6days	NA
10L	6-7days	NA
12L	7-8days	NA
14L	8-9days	NA

Standard Lead Time		
Layer Count:	Sample Lead Time	Volume order lead time
2L	4 days	10 days
4L	5 days	11 days
6L	6 days	12 days
8L	8 days	14 days
10L	10 days	16 days
12L	12 days	18 days
14L	14 days	20 days
16-32L	18 days	24 days

品質管理

1. O-Leading 品質管理 品質保証? 品質保証 品質保証 品質保証 品質保証.

1.1 品質保証 ISO 9001 : 2008 品質保証 品質保証 品質保証.

1.2 品質保証 品質保証 品質保証 品質保証 品質保証

1.3 品質保証 品質保証 品質保証. 品質保証 : 品質保証 品質保証, X-ray 品質保証, AOI (Automated Optical Inspector) 品質保証 ICT (in-circuit testing).

1.4 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証

1.5. 品質保証 品質保証 品質保証 品質保証

2. O-Leading 品質保証 品質保証 品質保証? 品質保証

品質保証 10 品質保証 品質保証 (品質保証 : 品質保証, 品質保証) 品質保証 品質保証, 品質保証 品質保証 品質保証. 品質保証 RMB 品質保証 品質保証 31 % 品質保証. 品質保証 品質保証 品質保証.

品質保証 O-Leading 品質保証 品質保証 品質保証. 品質保証 品質保証, 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証. 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証.

品質保証 品質保証 品質保証 品質保証. 品質保証 品質保証 品質保証 anedgeon 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証 品質保証.

3. O-Leading 品質保証 品質保証 品質保証 品質保証 品質保証?

品質保証 FR4, 品質保証 TG 品質保証 品質保証 品質保証, Rogers, Arlon, Telfon, 品質保証 / 品質保証 品質保証, PI 品質保証

4. PCB ≠ PCBA ≠ 印刷电路板 ≠ 印制电路板?

4.1 BOM (Bill of Materials) : BOM BOM, BOM BOM B BOM BOM.

4.2 PCB Gerber 00.

4.3 PCB 制程 與 PCBA 制程

4.4 問題 問.

4.5 00 00 00 000 00 000 00 00.

5. PCB 如何影响环境?

00 00 → 00 000 00 → 00 00 → 00 AOI → 00 00 → 000 00 000 → 000 → PTH → 00 00 → 00 000 00 → 00 00 → 00
 00 → 00 AOI → 00 000 → 00 00 → 00 000 → 000 → E / T → 00 00.

6. HDI □□□□ □□ □□□ □□□□□?

[illegible]

7. □□□ □□ □□□ □□ □□ 0- □□□ □ □ □□□□?

O-the ENIG, OSP, LF-HASL, 0 00 (00 / 00), 000, 00,0 00, 00 00 00, 00 00 00 00 00 00 00 00 00.

HDI 板 可 選 用 OSP, ENIG, OSP + ENIG, BGA PAD 間 距 0.3mm 以 內 的 板 可 選 用 OSP OSP + ENIG 以 及 無 鉛 鍍 金 。

8. FPC 00 000 000 00000? O-Leading SMT 0000 00 0 0 0000?

O-Leading 8 層 FPC 対応。最大サイズ 2000mm * 240mm。柔軟な "Flex Capability"。SMT 対応。 ([PCBA 対応](#))

9. PCB □□□ □□□ □□□ □□ □□□ □□□□□?

```

00;
00 000;
00 000;
00 00 00;
PCB 00;
00 00;
00 000 0000.

```

10. PCB, PWB 与 FPC 有何区别?

PCB 印刷電路板。
PWB Printed Wire Board 印刷電路板。
FPC Flexible Printed Board 柔性印刷電路板。

11. PCB □□□ □□□ □□□ □ □□ □□□ □□□□□□?

PCB 板厚 0.5mm 以下の場合、
 0.5mm Tg 以下の場合、
 0.5mm CTE 以下の場合、
 0.5mm 以下の場合 : 0.5mm PCB 厚 50 から 250 °C まで 0.5mm 以下の場合。
 0.5mm 以下; 0.5mm 以下の場合 0.5mm PCB 厚 0.5mm / 0.5mm 以下の場合。
 0.5mm PCB 厚 0.5mm 以下の場合 0.5mm 以下; 0.5mm 以下の場合 0.5mm 以下の場合 0.5mm 以下。
 0.5mm 以下。

12. O-leading rigid-flex PCB

O-leading rigid-flex PCB FPC PCB 製品は、高品質の材料と最先端の製造技術により、高い信頼性と耐久性を確保しています。また、柔軟な設計と加工能力により、複雑な形状や高密度の回路を実現できます。

13. □□□□ □□□ □□□□□□?

POLAR INSTRUMENTS, SI6000 CITS 500s

□ □□□ □□ □□ □□□ □□ □ □□□□ □□ □□ □□□□ □□□□□.