

O-leading PCB PCB MCPCB.

10 PCB PCB. PCB - PCB, PCB, PCB, PCB MCPCB. PCB PCB PCB PCB PCB
 PCB - 24 S / S, 48-96 PCB 4-8 PCB.

PCB .025 AVG, .020 MIN .. PCB PCB PCB PCB

PCB PCB, 25 PC / bag, PCB PCB PCB, PCB PCB PCB PCB

PCB PCB PCB PCB : PCB PCB PCB PCB PCB

PCB PCB

PCB PCB PCB

PCB	PCB, PCB (PCB)	PCB	PCB - PCB
PCB PCB PCB PCB	FR-4, PCB	PCB PCB	0.5oz ~ 5oz
PCB PCB	PCB PCB, OSP, PCB HASL	PCB PCB	0.1-5mm
PCB. 0.2mm PCB PCB	0.2mm	PCB. PCB PCB	0.2mm
PCB	PCB, PCB, PCB, PCB .yellow	PCB	\$ 0.1- \$ 10
PCB PCB	LED, PCB, PCB, PCB	PCB	0.01m3-10m3
PCB	PCB PCB PCB	PCB. PCB PCB	0.2mm0.2mm
PCB	ISO9001, UL, RoHS, SGS	MOQ	10 PCB
Q / CTN	10PCS-100PCS	PCB PCB PCB	PCB PCB PCB
PCB	0.01kg ~ 5kg		

PCB & PCB

PCB PCB PCB :	16 PCB PCB OEM pcb PCB PCB PCB
PCB PCB PCB :	7-12 PCB

16 PCB PCB OEM pcb PCB PCB

PCB	2014		2015 ~ 2016		2017 ~ 2018	
	PCB	PCB	PCB	PCB	PCB	PCB
PCB PCB	32	42	38 PCB	44	42	48
PCB PCB / PCB (µm)	50/50	40/45	40/45	40/40	35/40	35/35
PCB PCB PCB (mm)	0.15	0.10	0.15	0.10	0.15	0.10
PCB PTH	14 : 1	16 : 1	16 : 1	18 : 1	18 : 1	20 : 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
PCB PCB PCB PCB	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
PCB PCB PCB	PCB	-	PCB	-	PCB	-
PCB. PCB PCB (PCB PCB) (µm)	50	40	40	30	40	30

銅. 銅厚 (μm)	75	65	65	50	50	40
銅厚 / 銅厚	□	-	□	-	□	-
材料	FR4, Megtron, Nelco, Rogers, Heavy Copper □					
銅厚 PCB	□	-	□	-	□	-
銅厚	□ HASL, ENIG, OSP, □□□, □□ □□, □□□ □, □ □□□ □□, □□□ □ □□, □□ □ □□□□, □□ □□					



www.o-leading.com

[PCB 製造, PCB 製造 工廠](#)









201726 201VZL430354 - Wiring, Printed - Component



ZPMV2.E490354
Wiring, Printed - Component

For enhanced search functionality, please visit UL's [ULi Family of Databases](#).
Click on a product designation for complete information.

Page Bottom

Wiring, Printed - Component

See General Information for Wiring, Printed - Components

O-LEADING SUPPLY CHAIN CO LIMITED 4190354

Fortune Building, Nanheng West Road
Room 1313
Huizhou, Guangdong 516211, CHINA

Type	Cond Width			SS/ DS/ Diam	Area Diam	Solder		Temp		Flame	RoHS	C
	Min	Max	Min			Max	Class	DSR				
Hull/Bayer (mass laminate) printed wiring boards.												
O-LEADING-401												
	0.2 (0.004)	0.3 (0.012)	34 (1.34)	D6	12.7 (0.5)	260	10	130	V-0	-	-	-
O-LEADING-407												
	0.08 (0.003)	0.2 (0.008)	17 (0.67)	D5	9.2 (0.4)	260	10	170	V-0	NI	-	-
Hull/Bayer printed wiring boards.												
O-LEADING-408												
	0.125 (0.005)	0.125 (0.005)	12 (0.47) min:1.35	D6	50.8 (2.0)	260	20	130	V-0	NI	-	-
Single layer printed wiring boards.												
O-LEADING-002												
	0.76 (0.015)	1.14 (0.045)	34 (1.34)	S5	19.1 (0.8)	260	10	105	V-0	NI	-	-
O-LEADING-003												
	0.38 (0.015)	1.14 (0.045)	34 (1.34)	S5	19.1 (0.8)	260	10	130	V-0	▲	-	-
O-LEADING-033												
	0.15 (0.006)	0.3 (0.012)	34 (1.34)	S5	25.4 (1.0)	260	10	120	V-0	NI	-	-
O-LEADING-205												
	0.1 (0.004)	0.3 (0.012)	34 (1.34)	D6	69.6 (2.7)	260	10	130	V-0	NI	-	-
O-LEADING-206												
	0.15 (0.006)	0.33 (0.013)	17 (0.67)	D5	69.6 (2.7)	260	10	130	V-0	NI	-	-

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.
Last updated on 2017-01-27

Questions? Print this page Terms of Use Page Top

http://www.ul.com/ulcertification/201VZL430354/Wiring,Printed-Component



Test Report

No. CANEC1805164701

Date: 03 Apr 2018

Page 2 of 8

Test Results:

Test Part Description:

Specimen No. **SGS Sample ID** **Description**
SN1 CAN18-051647.001 Green "PCB"

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2014+A1:2017, IEC62321-5:2013, IEC62321-7-2:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit	MDL	Det
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	9
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND



SGS is pleased to announce the launch of its new online platform for the provision of test results. The platform is designed to provide a secure and efficient way for clients to access their test results. The platform is available in multiple languages and is accessible 24/7. For more information, please contact your account manager or visit the SGS website.

Member of the SGS Group (SGS SA)

□□ & □□

□□ □□ □□	16 □ □□ OEM pcb □□ □□ □□
□□ □□ □□	7-12 □

(□□ □□ □□ □□ □□)



□□□□ □□

1. O-Leading□ □□□ □□□□ □□□□?

□□□□ □□□□ □□□□ □□ □□□□□□.

1. □ □□□□□ ISO 9001 : 2008 □□□□ □□ □□□□ □□□□□□.

2. □□ □□ □□□□□□ □□□□□□ □□□□ □□

3.State-of-art □□□□ □□ □ □□. □ : □□□□ □□□□, X □ □□, AOI (□□□□ □□□□) □ ICT (□□□□ □□□□).

4. □□ □□ □□ □□□□□□ □□ □ □□ □□ □□ □

5. □□□□ □□ □□ □ □□

2. O-Leading□ □□ □□□□ □□□□ □□□□?

□□ 10 □ □□ □□ □□□□ (□ : □□, □□ □□)□ □□□ □ □□, □ □ □□ □ □ □□□□□□. □□ □□ □□□□ □□ □□ 31 %□ □□□□ □□□□. □□ □□□□ □□ □□□□□□. □□□□ □□□□ □□□□□□□□□□□□. □□ □□ □□, □□□□ □□ □ □□□ □□□□ □□ □□□□ □□ □□□□□□ □□ □□□□□□. □ □□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□□□.

□□□□ □□□□ □□ □□□□ □□□□ □□ □ □ □□□□ □□□□ □□ □□□□ □ □□□□□.

3. O-Leading □□□□□□ □□ □□□□ □□ □ □□□□□?

□□□□ FR4, □ TG □ □□□ □□ □□ □□, Rogers, Arlon, Telfon, □□□□ / □□ □□ □□, PI □

4. PCB □□□□ □□□□ □□□□ □□□□□□?

Gerber 274-X 圖檔 圖檔 圖檔 圖 圖 圖檔. 圖 Cam350, CAD, Protel 99se, PADS, DXP 圖 Eagle 圖 圖 圖 圖.

5. 圖 PCB 圖 圖 圖 圖 圖 圖?

圖 圖 → 圖 圖 圖 → 圖 圖 → 圖 AOI → 圖 圖 → 圖 → 圖 → 圖 → PTH → 圖 → 圖 圖 圖 → 圖 圖 → 圖 圖 → 圖
圖 AOI → 圖 圖 → 圖 圖 → 圖 圖 → 圖 → E / T → 圖 圖.