

□□ □□ :
 □□□ □□ □□

□□□	□□, □□ (□□)	□□□	□ - □□
□□ □□	NPG-150N	□□ □□	1 □□
Min. □□ □□	0.2mm	Min. □□ □	2.35mil
□□ □□	□□ □	□□	□□
□□ □□	□□ □□	□□□	□□ □□
□□□	ISO9001, UL, RoHS, SGS	Q / CTN	10PCS-100PCS
□□	0.01kg ~ 5kg	MOQ	10pcs
□□ □□	□□ □□ pcb □□□□ pcba □□ □□	□□ □□	0.1-5mm
□□	0.01m3-10m3	Min. □ □□	3 □
□□	□□ □□ □□	□□	\$ 0.1- \$ 10


□□ & □□

□□ □□ □□	16 □ □□ OEM □□□□ □□ □□□□
□□ □□ □□	7-12 □


□□ □□

□□ 16 □ [oem pcb □□ □□ □□ □□](#)

□	2017 □		2018 ~ 2020		2021 ~ 2023	
	□□	□□	□□	□□	□□	□□
□□□ □	32	42	38 □	44	42	48
□□ □□ / □□ (μm)	50/50	40/45	40/45	40/40	35/40	35/35
□ □□ □□ □□ (mm)	0.15	0.10	0.15	0.10	0.15	0.10
□□□ PTH	14 : 1	16 : 1	16 : 1	18 : 1	18 : 1	20 : 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
□□ □□ □□ □□	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
□□□ □□□ □	□	-	□	-	□	-
Min. □□ □□ (□□ □□) (μm)	50 □	40	40	□□	40	□□
Min. □□□ □□ □□ (μm)	75	65	65	50 □	50 □	40
□□ □ □□ □□ □ / □□ □□	□	-	□	-	□	-
□□	FR4, Megtron, Nelco, Rogers, Heavy Copper □					
□□□□ □□□□ PCB	□	-	□	-	□	-
□□ □□	□□ HASL, ENIG, OSP, □□□□□□, □□ □ □□, □ □□□, □□ □□ □□, □□□ □□□ □□ □□, Flaking □□ □□□, □□ □□					




www.o-leading.com



www.o-leading.com

O-LEADING
To Be *Reliable*, To Be *Valuable*



www.o-leading.com