

O-leading PCB 220v pcb

O-Leading PCB, PCB, PCB (PCBA) EMS, HDI PCB, PCB, PCB, 220v pcb, pcb

O-leading PCB, PCB, PCB (PCBA) EMS, HDI PCB, PCB, PCB, 220v pcb, pcb

O-leading PCB, PCB, PCB (PCBA) EMS, HDI PCB, PCB, PCB, 220v pcb, pcb

O-leading PCB, PCB, PCB (PCBA) EMS, HDI PCB, PCB, PCB, 220v pcb, pcb

O-LEADING
To Be Reliable, To Be Valuable

WE ALWAYS PROVIDE YOU

BEST HIGH DENSITY INTERCONNECT PCB

O-LEADING
To Be Reliable, To Be Valuable

WE ALWAYS PROVIDE YOU


BEST RIGID-FLEXIBLE CIRCUIT


O-LEADING
To Be Reliable, To Be Valuable

QUALITY IS OUR CULTURE



O-LEADING
To Be Reliable, To Be Valuable









Production Process

18 years experience in one-stop PCB and PCBA, we can make your idea come true,



 CONSUMER ELECTRONICS

 AUTOMOTIVE ELECTRONICS

 INDUSTRIAL CONTROL

 INTELLECTUALIZED HOUSEHOLD CONTROL

 OTHER



30%
CONSUMER ELECTRONICS



18%
INTELLECTUALIZED HOUSEHOLD CONTROL

20%
AUTOMOTIVE ELECTRONICS




12%
OTHER



20%
INDUSTRIAL CONTROL



Product types



■ FR-4 PCB ■ MC PCB ■ rigid-flexible PCB

Product layers

■ 1L ■ 2L ■ 4L ■ 6L ■ >8L





Factory PCB



Automatic vacuum press machine



Drilling Machine



Pattern Plating Machine



Scrubbing Machine



Developing Machine



Routing Machine



High-speed flying probe machine



E-test Machine

Factory SMT





C I C C INSPECTION CERTIFICATION



嘉泰认证

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No: 18118Q10347R05

We hereby certify that

O-LEADING SUPPLY CHAIN(HK) CO.,LIMITED

Credit No: 61691591-000-07-18-7

Registration Add: FLAT/RM 1205 12/F TAI SANG BANK BUILDING 130-132 DES
VOEUS BOAD CENTRAL HK

Business Add: 1313, Floor 13, Fortune Building, Danshui Town, Huiyang
District, Huizhou, Guangdong, China

Has implemented and maintains a **Quality Management System**
Which fulfils the requirements of the following standards
GB/T19001-2016 idt ISO9001:2015

Scope of certification

Sales of printed circuit boards

Initial issuance period: February 27, 2018
Renewal date: April 22, 2019

This certificate is valid during: April 22, 2019 ~ February 26, 2021

This certificate is invalid without CICC qualified label in the following period

First supervision and audit	Second supervision and audit	Qualified mark
-----------------------------	------------------------------	----------------

The certification implementation scope does not include those production stages which shall be assumed by the relevant effective administrative provisions and qualification provisions regulated by the state.
The effectiveness of this certificate shall be notified by annual supervision audit of CICC the certificate shall be valid also need together with the surveillance audit certificate.
The initial issuance of this certificate can be searched at the portal of CICC www.cicc.com.cn for the sake of clarity see below for more.






C I C C INSPECTION CERTIFICATION



嘉泰认证

质量管理体系认证证书

证书号: 18118Q10347R05

兹证明

诚领供应链(香港)有限公司

统一社会信用代码: 61691591-000-07-18-7

注册地址: 香港中環德輔道中 130-132 號大生銀行大廈 1205 室

经营地址: 广东惠州惠阳淡水南亨西路财富大厦 13 楼 1313

建立的质量管理体系符合

GB/T19001-2016 idt ISO9001:2015 质量标准适用条款的要求

认证范围

印刷线路板的销售

初次发证日期: 2018年02月27日

换证日期: 2019年04月22日

证书有效期: 自2019年04月22日至2021年02月26日

在下列期限内, 未经 CICC 黏贴合格标贴, 本证书无效

第一次监审	第二次监审	粘标处
-------	-------	-----

本证书认证范围不包括未获得有效的国家规定的行政许可、资质许可的产品/服务范围。
本证书通过CICC定期监督审核保持, 与年度《保持认证通知书》共同方为有效。
本证书信息可在国家认监委网站: www.cnca.gov.cn及CICC网站www.cicc.com.cn查询。








Test Report

No. SZXEC1900530401 Date: 30 Mar 2019 Page 1 of 6

O-LEADING SUPPLY CHAIN (HK) CO., LIMITED
1313.FLOOR 13, FORTUNE BUILDING, DANSHUI TOWN, HUIYANG DISTRICT, HUIZHOU, GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : OSP

SGS Job No. : RP19-005089 - SZ
Date of Sample Received : 22 Mar 2019
Testing Period : 22 Mar 2019 - 30 Mar 2019
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).

Conclusion : Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP) , Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) , and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Tina
Tina Fan
Approved Signatory

SGS logo and disclaimer text in Chinese and English.

Member of the SGS Group (SGS SA)



Test Report

No. SZXEC1900530401 Date: 30 Mar 2019 Page 2 of 6

Test Results :

Test Part Description :

Table with 3 columns: Specimen No., SGS Sample ID, Description. Row 1: SN1, SZX19-005304.001, Green"PCB"

Remarks :

- (1) 1 mg/kg = 1 ppm = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method : With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Table with 5 columns: Test Item(s), Limit, Unit, MDL, 0/1. Lists various chemical elements like Cadmium, Lead, Mercury, etc. with their respective limits and detection methods.

SGS logo and disclaimer text in Chinese and English.

Member of the SGS Group (SGS SA)



ZPMV2.E490354 - WIRING, PRINTED - COMPONENT

Wiring, Printed - Component

See General Information for Wiring, Printed - Component

O-LEADING SUPPLY CHAIN (HK) CO LTD
 ROOM 1205, 12/F
 TAI SANG BANK BLDG
 130-132 DES VOEUS ROAD
 CENTRAL, HONG KONG

E490354

Type	Cond Width		Cond Thk	SS/ DS/ DSO	Max	Max		Meets	C		
	Min	Edge			Area	Solder	Oper			Flame	
	mm(in)	mm(in)	mic(mil)		Diam	Limits	Temp	Class	UL796	T	
Multilayer (mass laminate) printed wiring boards.											
O-LEADING-401	0.1 (0.004)	0.3 (0.012)	34 (1.34)	DS	12.7 (0.5)	260	10	130	V-0	-	
O-LEADING-407	0.08 (0.003)	0.2 (0.008)	17 (0.67)	DS	9.7 (0.4)	260	10	130	V-0	All	
Multilayer printed wiring boards.											
O-LEADING-408	0.125 (0.005)	0.125 (0.005)	12 (0.47) Int:136	DS	50.8 (2.0)	280	20	130	V-0	All	*
Single layer printed wiring boards.											
O-LEADING-002	0.38 (0.015)	1.14 (0.045)	34 (1.34)	SS	19.1 (0.8)	260	10	105	V-0	All	-
O-LEADING-003	0.38 (0.015)	1.14 (0.045)	34 (1.34)	SS	19.1 (0.8)	260	10	130	V-0	▲	-
O-LEADING-033	0.15 (0.006)	0.3 (0.012)	34 (1.34)	SS	25.4 (1.0)	260	10	120	V-0	All	-
O-LEADING-205	0.1 (0.004)	0.3 (0.012)	34 (1.34)	DS	69.6 (2.7)	260	10	130	V-0	All	-
O-LEADING-206	0.15 (0.006)	0.33 (0.013)	17 (0.67)	DS	69.6 (2.7)	260	10	130	V-0	All	-
O-LEADING-D01	0.14 (0.006)	0.15 (0.006)	33 (1.30)	DS	25.4 (1.0)	260	10	130	V-0	All	*
O-LEADING-S01	0.25 (0.010)	0.25 (0.010)	17 (0.67)	SS	25.4 (1.0)	260	4	130	V-0	All	*

WIRING, PRINTED - COMPONENT | UL Product iQ

O-LEADING-S02	0.2 (0.008)	0.2 (0.008)	17 (0.67)	SS	25.4 (1.0)	260	4	130	HB	▲	*
O-LEADING-S03	0.25 (0.010)	0.25 (0.010)	34 (1.34)	SS	25.4 (1.0)	260	4	130	V-0	All	*

* - CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

并不是所有出现在本数据库中的公司名称和产品都满足了UL跟踪检验服务的要求。只有带有UL标志的产品，才应该被视为经过UL认证，并满足UL跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.经 UL 允许从在线认证目录转载“声明必须出现在所提取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明：“© 2019 UL LLC”

**PCB 规格**

层数	1-32
铜厚	1 / 3oz-12oz
外层 / 内层	3.0mil / 3.0mil
外层 / 内层	4.0mil / 4.0mil
孔径	10 : 1
板厚	0.2mm-5.0mm
板宽 (最大)	635 * 1500mm
最小线宽	4mil
Plated 厚度	+/- 3mil
Blind / Buried Vias (All)	□
表面处理	□
材料	FR-4, FR-4high Tg. 其他材料, 铜, 铜合金, 铜合金, 铜
表面处理	HASL, OSP, ENIG, HAL-LF, 其他材料, 其他材料, 其他材料

SMT 规格

PCB 材料	FR-4, CEM-1, CEM-3, 其他材料
PCB 尺寸	510x460mm
PCB 尺寸	50x50mm
PCB 厚度	0.5mm-4.5mm
孔径	0.5-4mm
最小孔径	0201
最小孔径	0603
最小孔径	15mm
最小孔径	0.3mm
最小 BGA 间距	0.4mm
最小间距	+/- 0.03mm



Shipping service



Quick Turn Lead Time		
Layer Count:	Lead Tim	Special Requirement
1L/2L	2-3days	24 Hours,48 Hours
4L	3-4days	48 Hours
6L	4-5days	72 Hours
8L	5-6days	NA
10L	6-7days	NA
12L	7-8days	NA
14L	8-9days	NA

Standard Lead Time		
Layer Count:	Sample Lead Time	Volume order lead time
2L	4 days	10 days
4L	5 days	11 days
6L	6 days	12 days
8L	8 days	14 days
10L	10 days	16 days
12L	12 days	18 days
14L	14 days	20 days
16-32L	18 days	24 days



1. O-Leading 如何 提高 效率?

如何 提高 效率 的 方法。

1.1 符合 ISO 9001 : 2008 标准 的 工厂。

1.2 有 完善 的 质量管理体系。

1.3 有 先进 的 检测 设备。如：X-ray 检测, AOI (Automated Optical Inspector) 和 ICT (in-circuit testing)。

1.4 有 完善 的 物流 体系。

1.5. 有 完善 的 售后服务。

2. O-Leading 如何 提高 效率?

有 10 年 以上 的 经验 (如：PCB, 多层板) 的 工厂。有 完善 的 质量管理体系。有 完善 的 物流 体系 31 % 的 工厂。有 完善 的 售后服务。

有 O-Leading 的 工厂。有 完善 的 质量管理体系。有 完善 的 物流 体系。有 完善 的 售后服务。有 完善 的 售后服务。

有 完善 的 物流 体系。有 完善 的 售后服务。有 完善 的 售后服务。

3. O-Leading 如何 提高 效率?

有 FR4, TG 材料 的 工厂, Rogers, Arlon, Telfon, 陶瓷 / 玻璃 材料, PI 材料

4. PCB 及 PCBA 的製造過程是什麼?

- 4.1 物料清單 BOM (Bill of Materials) : 物料清單, 物料清單表 及 物料清單表.
- 4.2 PCB 的製造.
- 4.3 PCB 的組裝 及 PCBA 的組裝.
- 4.4 測試.
- 4.5 物料清單 及 物料清單表 的比較.

5. PCB 的製造過程是什麼?

物料清單 → 物料清單表 → 物料清單 → PCB AOI → 物料清單 → 物料清單表 → 物料清單 → PTH → 物料清單 → 物料清單表 → 物料清單 → 物料清單表 → PCB AOI → 物料清單 → 物料清單表 → 物料清單 → 物料清單表 → E / T → 物料清單.

6. HDI 的製造過程是什麼?

物料清單 物料清單表 : 物料清單表, 物料清單, VCP 物料, 物料清單表, LDI 物料清單表 物料清單表 物料清單表, 物料清單表 Mitsubishi Hitachi, LDI 物料清單 Screen (Japan), 物料清單 Hitachi 物料清單, 物料清單 物料清單 物料清單 物料清單.

7. O-lead 的製造過程是什麼?

O-lead ENIG, OSP, LF-HASL, 物料 (物料 / 物料), 物料, 物料, 物料清單表, 物料清單表 物料清單表 物料清單表. HDI 物料清單表 物料清單表 OSP, ENIG, OSP + ENIG, BGA PAD 物料 0.3 mm 物料清單表 物料清單表 物料清單表 OSP OSP + ENIG 物料清單表 物料清單表.

8. FPC 的製造過程是什麼? O-Leading 及 SMT 的製造過程是什麼?

O-Leading 物料清單表 8 物料 FPC 物料清單表 物料清單, 物料清單表 2000mm * 240mm 物料清單表. 物料清單表 "Flex Capability" 物料清單表. 物料清單表 SMT 物料清單表 物料清單表.

9. PCB 的製造過程是什麼?

- 物料;
- 物料清單;
- 物料清單;
- 物料清單表;
- PCB 物料;
- 物料清單;
- 物料清單表.

10. PCB, PWB 及 FPC 的製造過程是什麼?

PCB 物料清單表 物料清單表.
PWB 物料清單表 (Printed Wire Board) 物料清單表 物料清單表 物料清單表.
FPC Flexible Printed Board 物料清單表.

11. PCB 的製造過程是什麼?

PCB 物料清單表 物料清單表 物料清單表.
物料 Tg 物料清單表 物料清單表.
物料 CTE 物料清單表 物料清單表 物料清單表;
物料 物料清單 : 物料清單 PCB 物料 50 物料 250 °C 物料清單表.
物料清單; 物料清單表 物料清單表 / 物料清單表 物料清單 PCB 物料清單表. 物料 PCB 物料清單表 物料清單表 物料清單表; 物料清單表 物料清單表 物料清單表 物料清單表 物料清單表.

12. O-leading 的 PCB 的製造過程是什麼?

O-leading 物料清單表 PCB FPC PCB 物料清單表 物料清單表 物料清單表 物料清單表 物料清單表. 物料清單表 物料清單表 物料清單表 物料清單表 物料清單表 物料清單表.

13. 物料清單 及 物料清單表 的比較?

□□□□ □□ □□□□ □□ □□□□ □□, SI6000 soft □ POLAR INSTRUMENTS□ CITS 500s □□□□ □□□□□□.
□□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□ □□□□ □□□□□□.