

□□ □□

□□:

LED □□□□□, □□ □ □□□ □□ □□ □ □□□.

2 □□□□□ □□, □□□□□ □□□ □□ □□.

□□□□ □□, □□ □□□□ □□□□, □□ □□.

□□ □□ □□ □□□□□□, □□ □□□□ □□.

□□□□□ □□□ □□, □□ □□, □□ □□, □ □□□□, □□ □□

SpO2 □□, PR, □□ □ □ PI.

□□□□ □□□□ □□□ □□□ □□□□□□ (Chian LED □□□□□□ □□□□ □□ □□ □□□□)

□□□:

SpO2 :

□□ : 35 %-100 %

□□□ : 1 %

□□□ : 80 %-100 % (□ 2 %)

70 %-80 % (□ 3 %)

□□□□ □□ (≤70 %)

□□□ :

□□ □□ : 30-250BP

MResolution : 1BPM

□□□ : 2 BPM

PI :

□□ : 0-30 %

□□□ : 0.1 %

□□□ : □ 1 %

□□□ : FDA



[LED 0000 000 00 00 000 OEM](#)



□□ □ □□

□□ (L × W × H)	57mm × 31mm × 31mm
□□□	55g
□□ □□ □□ (L × W × H)	80mm × 60mm × 38mm
□□ □□ □□ (L × W × H)	430mm × 340mm × 200mm
□□□ (100pcs)	6□□□□
□□	□□

□ □□□□: **LED** □□□□□ □□□ □□ □□ □□□ □□□□

Shipping service



□□ : □□ **TT** □□□ **100 %**
□□ : □□□ □□□ □□ □□□ □□□□□.
□□ □□□□ **60** □□□□.