



visine®

Canadian visitor technology license

Strong Sterilization Spray



Fog spray is effective all day



visine

Widely used in sterilization
and antibacterial

Negative ion slow-release sterilization technology








24 hours to maintain negative ion "curtain wall"

When flowing air or body droplets
After falling to the "curtain wall" by
negative ions Actively capture and
decompose into harmless points to
avoid cross-infection of bacteria.

visine Negative ion slow-release black technology

Antibacterial rate test report

  中国认可 国际互认 检测 TESTING CNAS L0823		 201719001121		检测编号: WJ20180524(R) Test No.		
广州工业微生物检测中心 GUANGZHOU TESTING CENTER OF INDUSTRIAL MICROBIOLOGY 检测报告 TEST REPORT						
收样日期: 2018年3月6日 Date Received			检测日期: 2018年3月13日 Date Analyzed			
样品名称 Name of Sample	森离子喷剂	样品来源 Source of Sample	送样			
	广州市健堂生物科技有限公司	委托人 Client				
	生物科技有限公司	样品等级 Sample				
		商标 Brand				
	S28	样品 Qu				
		样品 Pack				
	抗菌涂料					
	大肠杆菌 AS 1.90、金黄色葡萄球菌 AS					
申明: 此款产品还有 HSI200/WSI300 装与此是同一 本报告替代 2018 年 4 月 10 日签发的 WJ20180524 报告, 原报						
检测结果: Test Result						
样品编号	作用时间	试验菌种	阴性对照样 菌落数(cfu/片)	空白样菌落数 (cfu/片)	试验样菌落数 (cfu/片)	抗菌率 (%)
WJ20180524 (R)-1	24h	大肠杆菌	6.78×10^7	9.52×10^7	< 1000	> 99.9
		金黄色葡萄球菌	7.32×10^7	1.04×10^8	< 1000	> 99.9
报告结束/End of report						
编制: 梁翠芬 Editor: 梁翠芬	审核: 郑苗 Checker: 郑苗	签发: [Signature] Issuer	签发日期 (公章) Date Reported 			
第 1 页, 共 1 页						
 无色无味森离子						

24 hours
testing time

Antibacterial
99.9%



visine

International certification
authority testing

PK traditional sterilization products



- **Continuous sterilization and antibacterial**
One mist spray is effective for 24 hours
- **Pure water formula does not hurt your hands**
Ethanol-free, odorless and non-irritating
- **99.9% bactericidal and antibacterial**
Broad-spectrum sterilization / antibacterial / odor removal / mildew resistance
- **Easy to carry and use**
Non-flammable and explosive / safe and reliable

visine[®] Black technology PK
traditional products



Canada visine technology authorization





visine®

SGS



CNAS



No alcohol
Keeps killing 99.999% of germs



Strength Anti-microbial Spray

Work Placesse



Staying in Hotel



Using Public Toilet




Take the subway



Using Mask



Shopping



□□□ □□□□ □□□□ □□ □□

□□

□□□	□□□ □□ □□□ □□ □□□
□□ □□	VSI 100 10ml
□□ □□	□□□, □□□ □□ □□ □□, □□ □□□ □ □□□
□□ □□	□□ □□□ □□□□□ □□□□□ □□□, □□□□ □□ □□□ □□□□ □□□, □□□□ □□□ □□□ □□, □□ □ □□□□ □□



□□ □ □□

□□ □□					□□
□□ □□□ □□					15X2X2cm
□□ □□□					0.050 □□□□
□□ □□					14 * 1.5 * 1.5cm / □□
					12 PC / □□
					16 * 5.5 * 9cm / □□
					288 PC / ct
					24 □□ □□ / ct
				36 * 33 * 16 / ct	
□□ □□					
□□ (□□)	1-100	101-500	501-1000	> 1000	
□□ □□□. □□ (□)	□	5	7	□□□□	



()

1 2 , ! : <https://www.o-leading.com/real-time-products.html>



□□□□ □□

Q : □□□ □□ □□ □□□□ □□□ □□?

: □□ □□ □□, □□□□□ □□ □□, □□□ 3-7 □.

□: □□□ □□□ □□□?

: □□□ □□□□□ □ □□□ 24 □□ □□□ □□. □□□ □□ □□□ □□, □□ □□□ □□ □□□ □□ □□□ □□□□□□.

Q : □□□ □□ □□□ □□□□□?

: □□□ EXW, FOB □□ □□ □□ CIF □□ □□. □□□ □□□ □□□ □ □□□□□□ □□□□□□ □□ □□□□□□.

Q : □□ □□ □□ □□□ □□□□□?

: □□□□, □□□□ □□ □□□ □□ □□. □□ □□□□ 2 □ □□□□□. OEM / OEM □□□□ □□ □□□ □□□□□.