

O-leading

10 1000 1000 1000 PCB 10000000. 1000 1000 - 1000, 1000 1000, 1000 PCB, 1000 PCB 1000 MCPCB. 1000 1000 1000 1000 1000 1000 - 24 1000 S / S, 48-96 1000 1000 4-8 1000.

1000 1000 1000 .025 AVG, .020 MIN .. 1000 1000 1000 1000 1000

1000 1000 1000, 25 PC / bag, 1000 1000 1000, 1000 1000 1000 1000

1000 1000 1000 1000 10000000.


1000 1000 pcb 1000 1000

1000 - 1000 pcb 1000


1000 1000 1000 1000

1000 1000


PCB P / N	x-out1000 6L 1000 - 10000 PCB
1000 1000	6L (1000 4L + 1000 2L)
1000	FR-4 TG150
1000 thk	0.80mm
1000 thk	1 / H / H / H / H / 1oz
1000 1000 1000 1000	0.20mm
1000 1000 (1000)	187
1000 w / s	4 / 4 1000
100000 1000. Y / N (Tol %)	1000
1000 1000	ENIG Au : 0.05-0.12UM
1000 1000 1000 1000	1000 / n / a
1000 1000 1000	1000 X (mm) : 29.8; 1000 Y (mm) : 11.2
1000 1000	1000 X (mm) : 73.6, 1000 Y (mm) : 74, UPS 1000 1000 : 10
10000: 1000 1000 1000	1000
1000 / 1000	CNC



www.o-leading.com



www.o-leading.com



www.o-leading.com









2017/26 2016VZL430354 - Wiring, Printed - Component

ONLINE CERTIFICATIONS DIRECTORY

ZPMV2.E490354
Wiring, Printed - Component

For enhanced search functionality, please visit UL's [eCRP Family of Databases](#).
Click on a product designation for complete information.

[Page Bottom](#)

Wiring, Printed - Component

See General Information for Wiring, Printed - Components

O-LEADING SUPPLY CHAIN CO LIMITED
Fortune Building, Nanheng West Road
Room 1313
Huizhou, Guangdong 516211, CHINA

E490354

	Cond Width				Max				Max			
	Min	Min	Cond		SS/	Area	Solder		Oper	Flame	Heat	
	Min	Edge	Thk	DS/	Diam	Limits	Temp				UL796	
Type	mm(In)	mm(In)	mic(mil)	DSO	mm(In)	C	sec	C	Class	DSR	I	
Huileyer (mass laminate) printed wiring boards.												
O-LEADING-401												
	0.2 (0.004)	0.3 (0.012)	34 (1.34)	D6	12.7 (0.5)	260	10	230	V-0	-	-	
O-LEADING-407												
	0.08 (0.003)	0.2 (0.008)	17 (0.67)	D5	9.7 (0.4)	260	10	170	V-0	AB	-	
Huileyer printed wiring boards.												
O-LEADING-408												
	0.125 (0.005)	0.125 (0.005)	12 (0.47)	D6	50.8 (2.0)	260	20	130	V-0	AB	-	
Single layer printed wiring boards.												
O-LEADING-002												
	0.76 (0.015)	1.14 (0.045)	34 (1.34)	D5	19.1 (0.8)	260	10	105	V-0	AB	-	
O-LEADING-003												
	0.38 (0.015)	1.14 (0.045)	34 (1.34)	D5	19.1 (0.8)	260	10	130	V-0	AB	-	
O-LEADING-033												
	0.15 (0.006)	0.3 (0.012)	34 (1.34)	D5	25.4 (1.0)	260	10	120	V-0	AB	-	
O-LEADING-205												
	0.2 (0.004)	0.3 (0.012)	34 (1.34)	D6	69.8 (2.7)	260	10	130	V-0	AB	-	
O-LEADING-206												
	0.15 (0.006)	0.33 (0.013)	17 (0.67)	D5	69.8 (2.7)	260	10	130	V-0	AB	-	

* - CTI marking is optional and may be marked on the printed wiring board.

Making: Company name or file number and type designation. May be followed by a suffix to denote factory identification or burning test designation.
Last updated on 2017-01-27

Questions? [Print this page](#) [Terms of Use](#) [Page Top](#)

[Implications of using a UL eCRP entry for a product that is not a UL eCRP entry](#) [ZPMV2.E490354](#) Wiring, Printed - Component



Test Report

No. CAVE1805164701

Date: 03 Apr 2018

Page 2 of 8

Test Results:

Test Part Description:

Specimen No. **SGS Sample ID** **Description**
SN1 CAN18-051647.001 Green "PCB"

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit	MDL	Det
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	9
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	8	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	-	mg/kg	5	ND
Heptabromodiphenyl ether	-	mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	-	mg/kg	5	ND
Decabromodiphenyl ether	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND



SGS is a global leader in testing, inspection and certification services. We are committed to providing our clients with the highest quality of service and the most accurate and reliable results. Our services are recognized by the international community and are a key factor in the success of many of the world's leading companies. SGS is a member of the ISO 9001:2015 and ISO 14001:2015 standards. Our services are also recognized by the international community and are a key factor in the success of many of the world's leading companies. SGS is a member of the ISO 9001:2015 and ISO 14001:2015 standards. Our services are also recognized by the international community and are a key factor in the success of many of the world's leading companies.

□□ & □□

□□ □□ □□	16 □ □□ OEM pcb □□ □□ □□
□□ □□ □□	7-12 □



□□□□ □□

1. O-Leading□ □□□ □□□□□□?

□□□□ □□□□ □□□□ □□ □□□□□□.

1.□ □□□□□ ISO 9001 : 2008 □□□□ □□ □□□□ □□□□□□.

2. □□ □□ □□□□□□ □□□□□□ □□□□ □□

3.State-of-art □□□□ □□ □□ □□. □ : □□□□ □□□□, X □□□□, AOI (□□□□ □□□□) □ ICT (□□□□ □□□□).

4. □□ □□ □□ □□□□ □□ □□ □□ □□ □□ □□

5. □□□□ □□ □□ □□ □□

2. O-Leading□ □□ □□□□ □□□□ □□□□□□?

□□ 10 □ □□ □□ □□□□ (□ : □□□□, □□ □□□□) □□□□ □□ □□, □□ □□ □□ □□ □□□□□□□□. □□ □□ □□□□ □□ □□ 31 %□ □□□□ □□□□. □□ □□□□ □□ □□ □□□□□□. □□□□ □□□□□□ □□□□□□□□ □□□□□□□□. □□ □□ □□□□, □□□□ □□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□□□ □□ □□□□□□. □□□□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□□□.

□□□□ □□□□ □□ □□□□ □□□□ □□ □□ □□□□ □□ □□□□ □□ □□□□ □□ □□□□.

3. O-Leading □□□□□□ □□ □□□□ □□ □□ □□□□□□?

□□□□ FR4, □ TG □ □□□ □□ □□□□, Rogers, Arlon, Telfon, □□□□ / □□ □□ □□□□, PI □

4. PCB □□□□ □□□□ □□□□ □□□□□□?

Gerber 274-X □□□□ □□□□ □□□□ □□ □□ □□□□□□. □□ Cam350, CAD, Protel 99se, PADS, DXP □ Eagle□ □□ □□ □□□□

□.

5. □□ PCB□ □□□□ □□ □□□ □□□□□?

□□ □□ → □□ □□ □ → □□ □□ → □□ AOI → □□ □□ → □□ → □□ → □□ → PTH → □□ → □□ □□ □ → □□ □□ → □□ □□ → □□ AOI
→ □□ □□□ → □□ □□ → □□ □□ → □□□□ → E / T → □□ □□.