

PCB

PCB

Origin	Guang Dong, China (CN)	Lead time	o-leading.
Material	FR-4, Epoxy	Thickness	0.5oz-5oz.
Min. Drill Hole	0.2mm.	Min. Drill Hole	0.2mm.
Surface Finish	OSP, HASL	Min. Drill Hole	0.1-5mm.
Applications	LED, PCB, PCB	Min. Drill Hole	0.1-5mm.
Standards	ISO9001, UL, RoHS, SGS.	Q / CTN.	10pcs-100pcs.
Weight	0.01kg -5kg.	MOQ	10pcs.
PCB Type	PCB PCB PCB	Min. Drill Hole	0.2mm.
Price	0.1-10	Min. Drill Hole	\$ 0.1- \$ 10.
Volume	0.01m3-10m3.	Min. Drill Hole	0.01m3-10m3.


PCB


PCB	16 OEM PCB
PCB	7-12

PCB

16 OEM PCB

PCB	2014		2015 ~ 2016.		2017 ~ 2018.	
	PCB	PCB	PCB	PCB	PCB	PCB
PCB	32.	42.	38.	44.	42.	48.
PCB / PCB (µm)	50/50.	40/45.	40/45.	40/40.	35/40.	35/35.
Min Drill Hole. (mm)	0.15.	0.10.	0.15.	0.10.	0.15.	0.10.
PCB	14 : 1.	16 : 1.	16 : 1.	18 : 1.	18 : 1.	20 : 1.
N + C + N.	4 + C + 4.	5 + C + 5.	5 + C + 5.	6 + C + 6.	5 + C + 5.	6 + C + 6.
PCB PCB PCB	5 + 2 + 5.	6 + 2 + 6.	5 + 2 + 5.	6 + 2 + 6.	5 + 2 + 5.	6 + 2 + 6.
PCB PCB PCB	-	-	-	-	-	-
PCB. PCB PCB (µm)	50	40.	40.	30.	40.	30.
PCB. PCB PCB (µm)	75.	65.	65.	50	50	40.
uried on PCB / PCB PCB	-	-	-	-	-	-
PCB	FR4, Megtron, Nelco, Rogers, PCB PCB					
PCB PCB PCB.	-	-	-	-	-	-
PCB PCB	PCB HASL, ENIG, OSP, PCB PCB, PCB PCB, PCB PCB PCB PCB, PCB PCB PCB PCB, PCB PCB PCB PCB PCB, PCB PCB					





PCB PCB PCB