

PCB

PCB

Material	FR-4, GFR	Thickness	0.5mm - 5mm
Thickness	0.2 mm	Surface finish	0.2 mm
Surface finish	OSP, HASL	Drill diameter	0.1-5mm
Components	LED, IC, Resistor, Capacitor	Mounting	Surface Mount PCB
Standards	ISO9001, UL, RoHS, SGS	Quantity	Q / CTN
Weight	0.01 kg - 5 kg	MOQ	10 pcs
PCBA	PCBA, PCB, SMT, BGA	Thickness	0.2 mm
Price	\$0.1 - \$10		
Design	PCB Design		0.01m <sup>3</sup> -10m <sup>3</sup>

PCB & PCB

PCB PCB PCB	16 PCB PCB PCB PCB
PCB PCB	7-12

PCB

16 PCB PCB PCB

PCB	2,014		2015 ~ 2016		2017 ~ 2018	
	PCB	PCB	PCB	PCB	PCB	PCB
PCB PCB	(32)	(42)	(38)	(44)	(42)	(48)
PCB / PCB PCB (µm)	50/50	325/400	325/400	40/40	35/40	35 35
PCB PCB PCB (mm)	0 15	0 10	0 15	0 10	0 15	0 10
PTH	14 : 1	16 : 1	16 : 1	18 : 1	18 : 1	20 : 1
N + C + N	4 + C + 4	5 + C + 5	5 + C + 5	6 + C + 6	5 + C + 5	6 + C + 6
PCB PCB PCB	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6	5 + 2 + 5	6 + 2 + 6
PCB PCB PCB	YES	-	YES	-	YES	-
PCB PCB PCB (µm)	(50)	(40)	(40)	(30)	(40)	(30)
PCB PCB PCB (µm)	(75)	(65)	(65)	(50)	(50)	(40)
PCB PCB PCB / PCB PCB	YES	-	YES	-	YES	-
PCB	FR4, Megtron, Nelco, Rogers, PCB PCB					
PCB PCB PCB	YES	-	YES	-	YES	-
PCB PCB	PCB HASL, ENIG, OSP, PCB PCB, PCB PCB, PCB PCB, PCB PCB, PCB PCB PCB PCB, PCB PCB PCB PCB, PCB PCB					



